

Maine State Library

Digital Maine

Forest Service Documents

Maine Forest Service

9-2020

A Checklist of Maine Spiders (Arachnida: Araneae), 2020

Daniel T. Jennings

Charlene P. Donahue

Maine Forest Service

Maine Department of Agriculture, Conservation & Forestry

Follow this and additional works at: https://digitalmaine.com/for_docs

**A CHECKLIST OF MAINE
SPIDERS (ARACHNIDA: ARANEAE)**

By

Daniel T. Jennings

Charlene P. Donahue



**Forest Health and Monitoring
Technical Report No. 47**

September 2020

**Maine Forest Service
MAINE DEPARTMENT OF AGRICULTURE,
CONSERVATION AND FORESTRY
Augusta, Maine**

Online version of this report available from:
https://www.maine.gov/dacf/mfs/publications/fhm_pubs.htm

Requests for copies should be made to:
Maine Forest Service
Division of Forest Health & Monitoring
168 State House Station
Augusta, Maine 04333-0168
Phone: (207) 287-2431

Printed under appropriation number: 013-01A-2FHM-52

Issued 09/2020
Initial printing of 25

This product was made possible in part by funding from the U.S. Department of Agriculture. Forest health programs in the Maine Forest Service, Department of Agriculture Conservation and Forestry are supported and conducted in partnership with the USDA, the University of Maine, cooperating landowners, resource managers, and citizen volunteers. This institution is prohibited from discrimination based on race, color, national origin, sex, age, or disability.

A CHECKLIST OF MAINE SPIDERS (ARACHNIDA: ARANEAE)

DANIEL T. JENNINGS¹ and CHARLENE P. DONAHUE²

¹ Daniel T. Jennings, retired, USDA, Forest Service, Northern Forest Experiment Station.
Passed away September 14, 2020

² Charlene P. Donahue, retired, Department of Agriculture, Conservation and Forestry – Maine Forest Service. Corresponding Author donahuecp15@gmail.com

Table of Contents

<i>Abstract</i>	1
<i>Introduction</i>	1
<i>Figure 1. Map of State of Maine Counties</i>	3
<i>The Maine Spider Checklist</i>	4
FAMILY AGELENIDAE	4
FAMILY AMAUROBIIDAE	4
FAMILY ANYPHAENIDAE	5
FAMILY ARANEIDAE	5
FAMILY CLUBIONIDAE	7
FAMILY CORINNIDAE	8
FAMILY CYBAEIDAE	9
FAMILY DICTYNIDAE	9
FAMILY DYSDERIDAE	10
FAMILY EUTICHURIDAE	10
FAMILY GNAPHOSIDAE	10
FAMILY HAHNIIDAE	12
FAMILY LINYPHIIDAE	12
FAMILY LIOCRANIDAE	23
FAMILY LYCOSIDAE	23
FAMILY MIMETIDAE	25
FAMILY MITURGIDAE	25
FAMILY NESTICIDAE	25
FAMILY OXYOPIDAE	26
FAMILY PHILODROMIDAE	26
FAMILY PHOLCIDAE	27
FAMILY PHRUROLITHIDAE	27
FAMILY PISAURIDAE	28
FAMILY SALTICIDAE	28
FAMILY SEGESTRIIDAE	31
FAMILY SPARASSIDAE	31
FAMILY TETRAGNATHIDAE	31
FAMILY THERIDIIDAE	32

FAMILY THERIDIOSOMATIDAE	35
FAMILY THOMISIDAE	35
FAMILY TITANOECIDAE	37
FAMILY TRACHELIDAE	37
FAMILY ULOBORIDAE	37
<i>Discussion</i>	39
<i>Acknowledgments</i>	39
<i>References</i>	40

Abstract

Based on studies conducted between 1976 and 2012 as well as previously unpublished records, the known spider fauna of Maine, United States of America, is boosted from 154 species (Procter 1946) to 677 species in 33 families and 250 genera. Most records were compiled by the senior author, but we also include the first published records of species collected by earlier workers. Species richness per family ranges widely, with Linyphiidae first (228), Salticidae second (58) and Theridiidae third (57). Twelve families are represented by a single species each. Foraging guild composition is skewed in favor of web spinners, largely due to linyphiid richness. Additional spatial and temporal sampling in diverse habitats will likely add to the number of species known to occur in Maine.

Keywords: Maine, spiders, invertebrate fauna

Introduction

We provide the first reasonably comprehensive checklist of spider families, genera, and species that have been collected in Maine, United States of America. The senior author (DTJ) began collecting and recording the spiders of Maine in 1976. The only other list of spiders in Maine was compiled by William Procter in 1946 and comprised 154 species from Mount Desert Island in Hancock County. Other collectors have spent some time in Maine and published their finds but never published a list specific to the State. Between 1976 and 2012 with some help from a network of spider taxonomists, DTJ identified 71,000 Maine specimens to species.

Most specimens were collected by DTJ himself or through his work with Franklin Graham on the Spiders of Milbridge, Washington County Maine (Jennings and Graham 2007) and Nancy Sferra on the spiders of the Waterboro, York County pine barrens. Many other specimens came from various University of Maine research projects (particularly on spruce budworm and blueberry production, and many graduate student projects), the Maine Forest Service bark beetle and woodborer traps, a spider Bioblitz held in Acadia National Park, Winter Harbor, Hancock County in 2007, as well as material sent in by curious collectors.

Spiders were collected in all sixteen Maine counties from habitats ranging from all types of forested stands to blueberry fields, potato fields, bogs, fens, gravel pits, backyards, mountaintops, coastal beaches and rocky shores. Numbers are skewed toward Washington, Penobscot, and York Counties. DTJ did much of his collecting in Penobscot County and it is home to the University of Maine and two experimental forests. Milbridge in Washington County has been the site of extensive collecting (Jennings and Graham 2007) and the University of Maine has led numerous research projects in the blueberry barrens and spruce/fir forests in this coastal county. York County is home to the Waterboro barrens, extensively surveyed in the 1980's.

Almost half the specimens were collected from pitfall traps. Other methods of collection were sweeping and beating foliage, processing litter using Berlese funnels, Lindgren funnel traps, flight intercept traps, visual survey, drop pans, and branch sampling. A few spiders were caught using emergence traps, tree wraps, and sticky traps as well as at lights.

Spiders were identified using available primary taxonomic literature as well as regional field guides. All relevant spider taxonomic literature is available through the World Spider Catalog Association (World Spider Catalog 2020). Ubick *et al.* (2017) have provided the primary reference for the identification of North American spiders. Close examination of the male pedipalps and/or the female epigynum found only in mature adults are needed for species determination. Spider nomenclature (families, genera, and species) follows the World Spider Catalog.

Identified specimens from this study have been deposited in the permanent arachnid collections of the following institutions: The American Museum of Natural History, New York, NY; the Museum of Comparative Zoology, Harvard University, Cambridge, MA; and the Canadian National Collection of Insects and Arachnids, Biosystematics Research Centre, Ottawa, ON. In addition, a few specimens collected during the 2007 Bioblitz at Schoodic Peninsula, Acadia National Park were deposited at the Park Headquarters, Mount Desert Island, ME. Some specimens not identified to species were sent to specialists for further study and remain in the collections of those specialists or the institutions with which they are or were affiliated. For example, undetermined specimens of *Agyneta* were sent to P.J. van Helsdingen, of *Lophomma* and other erigonine linyphiids to M.J. Draney, of other

linyphiids to C.D. Dondale, and of theridiids to H.W. Levi. A database of collection information on the majority of spiders identified by (or for) DTJ is available from the Forest Health and Monitoring Division of the Maine Department of Agriculture, Conservation and Forestry.

All spider taxa (families, genera, and species) are listed alphabetically with counties (Figure 1) where specimens have been found listed after the species. All taxa known to have been collected in Maine are recorded. Species that were not identified or examined by DTJ but are recorded in the literature are indicated by a reference after italicized *counties* where the spiders were found. Other reports are listed only if DTJ did not find the spider in a particular county. In those instances, only the first known report of a species in a county is cited with the citation following the list of counties. We have made an effort to review all literature records of Maine spiders but recognize that our review is not exhaustive.

Introduced non-native species that appear to be established are marked with an asterisk (*). Establishment is based on specimens being collected outside of buildings. Non-native species that have been identified from specimens collected in Maine but have little chance of establishment in the State are marked with two asterisks (**). These latter species are not included in the count of Maine spiders nor do we list the counties in which they have been collected.

Figure 1. Map of State of Maine Counties



The Maine Spider Checklist

FAMILY AGELENIDAE

Genus *Agelenopsis* Giebel, 1869

Agelenopsis actuosa (Gertsch & Ivie, 1936)

Cumberland, Hancock, Kennebec, Penobscot, Washington, York

Agelenopsis emertoni Chamberlin & Ivie, 1935

Franklin, Hancock, Kennebec, Knox, Penobscot, York

Agelenopsis naevia (Walckenaer, 1841)

Cumberland, Hancock, Knox, Oxford, Piscataquis, York (Hentz 1875; Procter 1933; Bishop 1923;
Blake 1927; Chamberlin & Ivie 1941)

Agelenopsis pennsylvanica (C. L. Koch, 1843)

Oxford (Chamberlin & Ivie 1941)

Agelenopsis potteri (Blackwall, 1846)

All Counties

Agelenopsis utahana (Chamberlin & Ivie, 1933)

All Counties

Genus *Coras* Simon, 1898

Coras aerialis Muma, 1946

Aroostook, Franklin, Lincoln, Penobscot, Piscataquis, York

Coras juvenilis (Keyserling, 1881)

Cumberland, Franklin, Hancock, Lincoln, Oxford, Penobscot, Somerset, York

Coras lamellosus (Keyserling, 1887)

Aroostook, Penobscot, Somerset, Washington, York

Coras medicinalis (Hentz, 1821)

Aroostook, Lincoln, Oxford, Penobscot, Piscataquis, York (Bryant 1908)

Coras montanus (Emerton, 1890)

Aroostook, Franklin, Hancock, Penobscot, Piscataquis, Somerset, Washington

Genus *Eratigena* Bolzern, Burckhardt, & Hänggi, 2013

***Eratigena atrica* (C. L. Koch, 1843)

Genus *Tegenaria* Latreille, 1804

**Tegenaria domestica* (Clerck, 1757)

Aroostook, Franklin, Hancock, Kennebec, Knox, Lincoln, Penobscot, Sagadahoc, Waldo, Washington,
York

Genus *Wadotes* Chamberlin, 1925

Wadotes calcaratus (Keyserling, 1887)

Aroostook, Hancock, Kennebec, Penobscot, Piscataquis, Somerset, Washington, York

Wadotes hybridus (Emerton, 1890)

Aroostook, Kennebec, Lincoln, Penobscot, Waldo, York

FAMILY AMAUROBIIDAE

Genus *Amaurobius* C. L. Koch, 1837

Amaurobius borealis Emerton, 1909

Aroostook, Cumberland, Hancock, Kennebec, Lincoln, Oxford, Penobscot, Piscataquis, Somerset, Waldo,
Washington, York (Emerton 1909)

**Amaurobius ferox* (Walckenaer, 1830)

Hancock, York

Genus *Callobius* Chamberlin, 1947

Callobius bennetti (Blackwall, 1846)

Aroostook, Cumberland, Franklin, Hancock, Knox, Lincoln, Oxford, Penobscot, Piscataquis, Sagadahoc,
Somerset, Washington, York

Genus *Cybaeopsis* Strand, 1907

Cybaeopsis euopla (Bishop & Crosby, 1935)

Aroostook, Hancock, Knox, Penobscot, Piscataquis, Washington

Cybaeopsis tibialis (Emerton, 1888)

Aroostook, Penobscot, Piscataquis, Washington (Emerton 1914)

FAMILY ANYPHAENIDAE

Genus *Anyphaena* Sundevall, 1833

Anyphaena celer (Hentz, 1847)

Cumberland, York

Genus *Hibana* Brescovit, 1991

Hibana gracilis (Hentz, 1847)

York

Genus *Wulfila* O. Pickard-Cambridge 1895

Wulfila saltabundus (Hentz, 1847)

Androscoggin, Cumberland, Kennebec, Penobscot, Washington, York

FAMILY ARANEIDAE

Genus *Acanthepeira* Marx, 1883

Acanthepeira stellata (Walckenaer, 1805)

Hancock, Penobscot, Sagadahoc, Somerset, Waldo, Washington

Genus *Aculepeira* Chamberlin & Ivie, 1942

Aculepeira carbonariooides (Keyserling, 1892)

Piscataquis (Emerton 1914)

Genus *Araneus* Clerck, 1757

Araneus alboventris (Emerton, 1884)

Cumberland, Franklin (Bryant 1908)

Araneus bicentenarius (McCook, 1888)

Aroostook, Franklin, Hancock, Kennebec, Penobscot, Washington

Araneus bivittatus (Walckenaer, 1841)

Penobscot

Araneus bonsallae (McCook, 1894)

York

Araneus cavaticus (Keyserling, 1881)

Androscoggin, Cumberland, Franklin, Hancock, Kennebec, Lincoln, Oxford, Penobscot, Piscataquis,

Somerset, Waldo, Washington, York (Bryant 1908)

Araneus cingulatus (Walckenaer, 1841)

Cumberland, Oxford (Archer 1951)

Araneus corticarius (Emerton, 1884)

Cumberland, Hancock, Piscataquis, Washington (Bryant 1908; Procter 1946)

Araneus diadematus Clerck, 1757

Cumberland, Hancock, Kennebec, Penobscot, York

Araneus groenlandicola (Strand, 1906)

Washington

Araneus guttulatus (Walckenaer 1841)

Oxford, Penobscot, Washington

Araneus iviei (Archer, 1951)

Franklin, Lincoln, Oxford, Penobscot, Washington

Araneus juniperi (Emerton, 1884)

Cumberland, Hancock, Penobscot, Washington (Emerton 1884)

Araneus marmoreus Clerck, 1757

All Counties

Araneus nashoba Levi, 1973

Cumberland (Levi 1973)

- Araneus nordmanni* (Thorell, 1870)
 Aroostook, Cumberland, Franklin, Hancock, Knox, Lincoln, Penobscot, Piscataquis, Somerset, Waldo,
 Washington, York (Bishop 1923)
- Araneus pratensis* (Emerton, 1884)
Hancock, Sagadahoc, Washington, York (Procter 1946)
- Araneus saevus* (L. Koch, 1872)
 Aroostook, Hancock, Lincoln, Penobscot, Piscataquis, Washington, York
- Araneus thaddeus* (Hentz, 1847)
Hancock (Procter 1933)
- Araneus trifolium* (Hentz, 1847)
 Aroostook, Cumberland, Hancock, Knox, Oxford, Penobscot, Piscataquis, Somerset, Waldo, Washington,
 York
- Araneus washingtoni* Levi, 1971
 Penobscot
 Genus *Araniella* Chamberlin & Ivie, 1942
- Araniella displicata* (Hentz, 1847)
 All Counties
 Genus *Argiope* Audouin, 1826
- Argiope aurantia* Lucas, 1833
 Cumberland, Hancock, Kennebec, Lincoln, Penobscot, Sagadahoc, Somerset, Waldo, Washington, York
- Argiope trifasciata* (Forsskål, 1775)
 Aroostook, Hancock, Oxford, Penobscot, Somerset, Washington, York
 Genus *Cercidia* Thorell, 1869
- Cercidia prominens* (Westring, 1851)
 Hancock, Penobscot, Washington, York
 Genus *Cyclosa* Menge, 1866
- Cyclosa conica* (Pallas, 1772)
Cumberland, Hancock, Knox, *Lincoln*, Oxford, Penobscot, Piscataquis, Waldo, Washington (Bryant
 1908)
- Cyclosa turbinata* (Walckenaer, 1841)
Cumberland (Hentz 1875)
 Genus *Eustala* Simon, 1895
- Eustala anastera* (Walckenaer, 1841)
 Androscoggin, Cumberland, Hancock, Kennebec, Knox, Penobscot, Washington, York
- Eustala cepina* (Walckenaer, 1841)
 Cumberland, Washington
 Genus *Hypsosinga* Ausserer, 1871
- Hypsosinga funebris* (Keyserling, 1892)
 Hancock, Washington, York
- Hypsosinga pygmaea* (Sundevall, 1831)
 Aroostook, Franklin, Hancock, *Lincoln*, Oxford, Penobscot, Piscataquis, Somerset, Waldo, Washington
 (Bryant 1908)
- Hypsosinga rubens* (Hentz, 1847)
 Cumberland, Hancock, Oxford, Penobscot, Washington, York
 Genus *Larinoides* Caporiacco, 1934
- Larinoides cornutus* (Clerck, 1757)
Cumberland, Franklin, Hancock, Kennebec, Penobscot, Somerset, Washington, York (Hentz 1875)
- Larinoides patagiatus* (Clerck, 1757)
 Androscoggin, Aroostook, *Cumberland*, Hancock, Kennebec, Lincoln, Oxford, Penobscot, Piscataquis,
 Somerset, Waldo, Washington (Emerton 1884)
- Larinoides sclopetarius* (Clerck, 1757)
 Androscoggin, Aroostook, Franklin, *Hancock*, Kennebec, Knox, Oxford, Penobscot, Somerset, Waldo,
 Washington (Procter 1933)

- Genus *Mangora* O. Pickard-Cambridge, 1889
- Mangora gibberosa* (Hentz, 1847)
Androscoggin, Cumberland, Hancock, Kennebec, Penobscot, Washington, York
- Mangora placida* (Hentz, 1847)
Franklin, Hancock, Kennebec, Knox, Oxford, Penobscot, Washington, York
- Genus *Mastophora* Holmberg, 1876
- Mastophora bisaccata* (Emerton, 1884)
Hancock(Gertsch 1955)
- Mastophora stowei* Levi, 2003
Cumberland
**Genus *Mecynogeia* Simon, 1903
- ***Mecynogeia lemniscata* (Walckenaer, 1841)
Genus *Metepeira* F. O. Pickard-Cambridge, 1903
- Metepeira labyrinthica* (Hentz, 1847)
Hancock(Procter 1933)
- Metepeira palustris* Chamberlin & Ivie, 1942
Aroostook, Hancock, Penobscot, *Piscataquis*, Washington (Emerton 1915)
Genus *Micrathena* Sundevall, 1833
- Micrathena mitrata* (Hentz, 1850)
Specific locality not given (Levi 1978)
- Micrathena sagittata* (Walckenaer, 1841)
York
Genus *Neoscona* Simon, 1864
- Neoscona arabesca* (Walckenaer, 1841)
All Counties
- Neoscona crucifera* (Lucas, 1838)
Cumberland, Somerset, York
- Neoscona domiciliorum* (Hentz, 1847)
Specific locality not given (Bryant 1908)
Genus *Zygiella* F. O. Pickard-Cambridge, 1902
- **Zygiella atrica* (C. L. Koch, 1845)
Hancock, Knox, Washington
- Zygiella nearctica* Gertsch, 1964
Aroostook, Franklin, *Hancock*, Oxford, Penobscot, *Piscataquis*, *Somerset*, *Washington* (Emerton 1914;
Procter 1946)
- **Zygiella x-notata* (Clerck, 1757)
Hancock(Procter 1946)

FAMILY CLUBIONIDAE

- Genus *Clubiona* Latreille, 1804
- Clubiona abboti* L. Koch, 1866
Cumberland (Edwards 1958)
- Clubiona bishopi* Edwards, 1958
Cumberland, Hancock, Kennebec, Knox, Penobscot, *Piscataquis*, Somerset, Washington, York
- Clubiona bryantae* Gertsch, 1941
Hancock, Penobscot, Washington (Edwards 1958)
- Clubiona canadensis* Emerton, 1890
Androscoggin, Aroostook, Cumberland, Franklin, Hancock, Kennebec, Knox, Oxford, Penobscot,
Piscataquis, Sagadahoc, Somerset, Washington, York
- Clubiona gertschi* Edwards, 1958
Piscataquis (Edwards 1958)
- Clubiona johnsoni* Gertsch, 1941
Aroostook, Cumberland, Lincoln, Penobscot, Waldo, Washington, York

- Clubiona kastoni* Gertsch, 1941
 Androscoggin, Aroostook, Cumberland, Hancock, Kennebec, Knox, Lincoln, Oxford, Penobscot,
 Piscataquis, Somerset, Washington, York
- Clubiona littoralis* Banks, 1895
 Washington
- Clubiona maritima* L. Koch, 1867
 Penobscot, Washington, York
- Clubiona mixta* Emerton, 1890
 Androscoggin, *Cumberland*, Washington (Bryant 1908)
- Clubiona moesta* Banks, 1896
 Androscoggin, Aroostook, Cumberland, Franklin, *Hancock*, Oxford, Penobscot, Sagadahoc, Somerset,
 Washington (Procter 1938)
- Clubiona nicholsi* Gertsch, 1941
 York
- Clubiona norvegica* Strand, 1900
 Aroostook, Piscataquis, Washington
- Clubiona obesa* Hentz, 1847
 Androscoggin, Aroostook, Cumberland, Hancock, Kennebec, Knox, Oxford, Penobscot, Piscataquis,
 Sagadahoc, Somerset, Washington, York
- Clubiona pikei* Gertsch, 1941
 Cumberland, Lincoln, *Penobscot*, York (Edwards 1958)
- Clubiona praematura* Emerton, 1909
 Piscataquis
- Clubiona pygmaea* Banks, 1892
 Cumberland, Kennebec, Penobscot, Washington, York (Edwards 1958)
- Clubiona riparia* L. Koch, 1866
 Aroostook, Cumberland, Franklin, Hancock, *Lincoln*, Oxford, Penobscot, Piscataquis, Somerset, Waldo,
 Washington (Bryant 1908)
- Clubiona spiralis* Emerton, 1909
 Penobscot
- Clubiona trivialis* C. L. Koch, 1843
 Aroostook, Hancock, Oxford, Penobscot, Piscataquis, Somerset, Washington
 Genus *Elaver* O. Pickard-Cambridge, 1898
- Elaver excepta* (L. Koch, 1866)
 Androscoggin, Aroostook, Cumberland, Franklin, Hancock, Kennebec, Knox, Lincoln, Oxford, Penobscot,
 Sagadahoc, Somerset, Waldo, Washington, York

FAMILY CORINNIDAE

- Genus *Castianeira* Keyserling, 1879
- Castianeira cingulata* (C. L. Koch, 1841)
 Androscoggin, *Cumberland*, Hancock, Kennebec, Lincoln, Penobscot, Washington, York (Bryant 1908)
- Castianeira descripta* (Hentz, 1847)
 Aroostook, *Cumberland*, Franklin, Hancock, Kennebec, *Knox*, Lincoln, Penobscot, Waldo, Washington,
 York (Bryant 1908; Bishop 1923)
- Castianeira gertschi* Kaston, 1945
 Aroostook, Penobscot, Washington, York
- Castianeira longipalpa* (Hentz, 1847)
 Aroostook, Franklin, Lincoln, Penobscot, Piscataquis, Washington, York
- Castianeira variata* Gertsch, 1942
 Washington

**FAMILY CTENIDAE

- **Genus *Cupiennius* Simon, 1891
- ***Cupiennius getazi* Simon, 1891

FAMILY CYBAEIDAE

Genus *Cybaeota* Chamberlin & Ivie, 1933

Cybaeota calcarata (Emerton, 1911)

Piscataquis (Emerton 1911)

FAMILY DICTYNIDAE

Genus *Argenna* Thorell, 1870

Argenna obesa Emerton, 1911

Aroostook, Hancock, Kennebec, Knox, Penobscot, Piscataquis, Sagadahoc, Somerset, Washington, York
(Emerton 1914)

Genus *Dictyna* Sundevall, 1833

Dictyna bostoniensis Emerton, 1888

York

Dictyna brevitarsa Emerton, 1915

Androscoggin, Aroostook, Hancock, Penobscot, Piscataquis, Sagadahoc, Waldo, Washington, York

Dictyna coloradensis Chamberlin, 1919

Aroostook, Cumberland, Hancock, Kennebec, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset,
Waldo, Washington, York

Dictyna foliacea (Hentz, 1850)

Androscoggin, Hancock, Kennebec, Penobscot, Sagadahoc, Somerset, Washington, York

Dictyna formidolosa Gertsch & Ivie, 1936

York

Dictyna minuta Emerton, 1888

Aroostook, Hancock, Penobscot, Washington, York

Dictyna quadrispinosa Emerton, 1919

Somerset, Washington

Dictyna volucripes Keyserling, 1881

Hancock, Oxford, York (Procter 1933)

Genus *Emblyna* Chamberlin, 1948

Emblyna annulipes (Blackwall, 1846)

Cumberland, Hancock, Kennebec, Oxford, Penobscot, Sagadahoc, Washington (Emerton 1888; Procter
1946)

Emblyna cruciata (Emerton, 1888)

Hancock (Procter 1938)

Emblyna hentzi (Kaston, 1945)

Hancock, Penobscot, Sagadahoc, Waldo, Washington, York

Emblyna manitoba (Ivie, 1947)

Washington

Emblyna maxima (Banks, 1892)

Aroostook, Hancock, Oxford, Penobscot, Somerset, Washington, York (Procter 1946)

Emblyna phylax (Gertsch & Ivie, 1936)

Aroostook, Franklin, Hancock, Knox, Oxford, Penobscot, Piscataquis, Washington

Emblyna sublata (Hentz, 1850)

Androscoggin, Cumberland, Hancock, Kennebec, Oxford, Penobscot, Piscataquis, Sagadahoc, Washington,
York

Genus *Lathys* Simon, 1884

Lathys foxi (Marx, 1891)

York (Emerton 1911)

Lathys pallida (Marx, 1891)

Cumberland, Hancock, Knox, Lincoln, Penobscot, Piscataquis, Sagadahoc, Washington, York
(Chamberlin & Gertsch 1958)

Genus *Phantyna* Chamberlin, 1948

Phantyna bicornis (Emerton, 1915)

Hancock, Washington, York (Emerton 1915)

FAMILY DYSDERIDAEGenus *Dysdera* Latreille, 1804**Dysdera crocata* C. L. Koch, 1838

Hancock Procter (1946)

FAMILY EUTICHURIDAEGenus *Cheiracanthium* C. L. Koch, 1839**Cheiracanthium mildei* L. Koch, 1864

Androscoggin, Cumberland, York

Genus *Strotarchus* Simon, 1888*Strotarchus piscatorius* (Hentz, 1847)

Cumberland, Penobscot, York

FAMILY GNAPHOSIDAEGenus *Callilepis* Westring, 1874*Callilepis pluto* Banks, 1896

Hancock, Knox, Sagadahoc, Washington, York

Genus *Drassodes* Westring, 1851*Drassodes neglectus* (Keyserling, 1887)Aroostook, Cumberland, Franklin, Hancock, *Lincoln*, *Knox*, Penobscot, Piscataquis, Sagadahoc, Somerset, Waldo, Washington, York (Platnick & Shadab 1975)*Drassodes saccatus* (Emerton, 1890)

Cumberland (Emerton 1907)

Genus *Drassyllus* Chamberlin, 1922*Drassyllus depressus* (Emerton, 1890)Hancock, *Lincoln*, Penobscot, Piscataquis, Waldo, Washington (Procter 1946; Platnick & Shadab 1982)*Drassyllus eremitus* Chamberlin, 1922

Hancock

**Drassyllus eremophilus* Chamberlin & Gertsch, 1940

Kennebec

Drassyllus frigidus (Banks, 1892)

Hancock, Washington

Drassyllus niger (Banks, 1896)

Aroostook, Kennebec, Lincoln, Penobscot, Somerset, Washington, York

Drassyllus rufulus (Banks, 1892)

Hancock Procter (1946)

Drassyllus socius Chamberlin, 1922

Lincoln, Penobscot, Washington, York

Genus *Gnaphosa* Latreille, 1804*Gnaphosa borea* Kulczyński, 1908

Piscataquis

Gnaphosa brumalis Thorell, 1875

Hancock, Piscataquis, Washington (Emerton 1914)

Gnaphosa microps Holm, 1939

Piscataquis

Gnaphosa muscorum (L. Koch, 1866)Aroostook, Hancock, Kennebec, *Knox*, *Penobscot*, Piscataquis, Sagadahoc, Somerset, Washington, York (Bishop 1923; Platnick & Shadab 1975)*Gnaphosa orites* Chamberlin, 1922

Piscataquis

Gnaphosa parvula Banks, 1896

Aroostook, Hancock, Lincoln, Penobscot, Piscataquis, Sagadahoc, Somerset, Washington

- Genus *Haplodrassus* Chamberlin, 1922
- Haplodrassus bicornis* (Emerton, 1909)
Washington, York
- Haplodrassus hiemalis* (Emerton, 1909)
Aroostook, Cumberland, Kennebec, Lincoln, Oxford, Penobscot, Piscataquis, Somerset, Washington, York
- Haplodrassus signifer* (C. L. Koch, 1839)
Aroostook, Cumberland, Hancock, Penobscot, Somerset, Waldo, Washington, York (Platnick & Shadab 1975)
- Genus *Herpyllus* Hentz, 1832
- Herpyllus ecclesiasticus* Hentz, 1832
Androscoggin, Cumberland, Hancock, Kennebec, Knox, Lincoln, Oxford, Penobscot, Somerset, Waldo, Washington, York (Platnick & Shadab 1977)
- Genus *Micaria* Westring, 1851
- Micaria aenea* Thorell, 1871
Piscataquis
- Micaria elizabethae* Gertsch, 1942
Lincoln, Washington
- Micaria emertoni* Gertsch, 1935
Sagadahoc, Washington, York
- Micaria gertschi* Barrows & Ivie, 1942
Hancock, Lincoln, Penobscot, Waldo, Washington
- Micaria laticeps* Emerton, 1909
York
- Micaria longipes* Emerton, 1890
York
- Micaria longispina* Emerton, 1911
Penobscot, Washington
- Micaria pulicaria* (Sundevall, 1831)
Aroostook, Cumberland, Hancock, Lincoln, Penobscot, Piscataquis, Somerset, Washington
- Micaria riggsi* Gertsch, 1942
Washington
- Genus *Orodrassus* Chamberlin, 1992
- Orodrassus canadensis* Platnick & Shadab, 1975
Aroostook, Piscataquis, Somerset, Washington
- Genus *Sergiolus* Simon, 1892
- **Sergiolus capulatus* (Walckenaer, 1837)
York
- Sergiolus decoratus* Kaston, 1945
Cumberland, Washington
- Sergiolus montanus* (Emerton, 1890)
Aroostook, Penobscot, Piscataquis, Washington, York
- Sergiolus ocellatus* (Walckenaer, 1837)
Hancock, Lincoln, Washington, York
- Genus *Urozelotes* Mello-Leitão, 1938
- Urozelotes rusticus* (L. Koch, 1872)
Penobscot
- Genus *Zelotes* Gistel, 1848
- Zelotes exiguoides* Platnick & Shadab, 1983
Aroostook, Sagadahoc, Washington, York
- Zelotes fratrius* Chamberlin, 1920
Aroostook, Cumberland, Hancock, Kennebec, Knox, Lincoln, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset, Waldo, Washington, York
- Zelotes hentzi* Barrows, 1945
Kennebec, Lincoln, Penobscot, Washington, York

- Zelotes puritanus* Chamberlin, 1922
 Franklin, Penobscot, Piscataquis, Somerset, Washington
Zelotes sula Lowrie & Gertsch, 1955
Piscataquis (Platnick & Shadab 1983)

FAMILY HAHNIIDAE

- Genus *Antistea* Simon 1898
- Antistea brunnea* (Emerton, 1909)
 Aroostook, Hancock, Kennebec, Lincoln, Penobscot, Piscataquis, Somerset, Washington
 Genus *Cicurina* Menge, 1871
- Cicurina arcuata* Keyserling, 1887
 Aroostook, Hancock, Kennebec, Knox, Penobscot, Sagadahoc, Waldo, Washington, York
- Cicurina brevis* (Emerton, 1890)
 Aroostook, Franklin, Hancock, Kennebec, Knox, Lincoln, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset, Waldo, Washington, York
- Cicurina itasca* Chamberlin & Ivie, 1940
 Hancock, Kennebec, Penobscot, Washington, York
- Cicurina pallida* Keyserling, 1887
 Aroostook, Hancock, Kennebec, Lincoln, Penobscot, Piscataquis, Sagadahoc, Somerset, Waldo, Washington, York
- Cicurina placida* Banks, 1892
 Aroostook, Hancock, Lincoln, Penobscot, Piscataquis, Somerset, Washington, York
- Cicurina robusta* Simon, 1886
 York
 Genus *Cryphoeca* Thorell, 1870
- Cryphoeca montana* Emerton, 1909
 Aroostook, Hancock, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset, Washington
 Genus *Hahnia* C. L. Koch, 1841
- Hahnia cinerea* Emerton, 1890
 Aroostook, Cumberland, Hancock, Oxford, Penobscot, Piscataquis, Somerset, Washington, York (Gertsch 1934)
 Genus *Neoantistea* Gertsch, 1934
- Neoantistea agilis* (Keyserling, 1887)
 Aroostook, Hancock, Kennebec, Knox, Lincoln, Penobscot, Piscataquis, Somerset, Washington, York (Bishop 1923)
- Neoantistea magna* (Keyserling, 1887)
 Aroostook, Franklin, Hancock, Kennebec, Lincoln, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset, Washington, York

FAMILY LINYPHIIDAE

- Genus *Agyneta* Hull, 1911
- Agyneta allosubtilis* Loksa, 1965
 Aroostook, Somerset
- Agyneta amersaxatilis* Saaristo & Koponen, 1998
 Aroostook, Hancock, Piscataquis
- Agyneta angulata* (Emerton, 1882)
 Hancock, Somerset, Waldo
- Agyneta fabra* (Keyserling, 1886)
 Androscoggin, Aroostook, Cumberland, Hancock, Kennebec, Knox, Penobscot, Piscataquis, Washington, York (Chamberlin 1925; Bishop 1923)
- Agyneta jacksoni* (Braendegård, 1937)
 Aroostook, Piscataquis
- Agyneta micaria* (Emerton, 1882)
Cumberland (Bryant 1908)

- Agylneta nigripes* (Simon, 1884)
 Washington
- Agylneta olivacea* (Emerton, 1882)
 Aroostook, Cumberland, Penobscot, Piscataquis, Washington (Emerton 1911, 1914)
- Agylneta simplex* (Emerton, 1926)
 Aroostook, Cumberland, Hancock, Kennebec, Lincoln, Penobscot, Piscataquis, Sagadahoc, Somerset, Washington, York
- Agylneta unimaculata* (Banks, 1892)
 Aroostook, Hancock, Penobscot, Washington, York
 Genus *Allomengea* Strand, 1912
- Allomengea dentisetis* (Grube, 1861)
 Aroostook, Lincoln, Penobscot, Washington
 Genus *Aphileta* Hull, 1920
- Aphileta misera* (O. Pickard-Cambridge, 1882)
 Aroostook, Kennebec, Penobscot, Piscataquis, Somerset, Washington
 Genus *Baryphyma* Simon, 1884
- Baryphyma trifrons* (O. Pickard-Cambridge, 1863)
 Oxford, Penobscot, Piscataquis, Washington
 Genus *Bathyphantes* Menge, 1886
- Bathyphantes alboventris* (Banks, 1892)
 Aroostook, Waldo
- Bathyphantes brevipes* (Emerton, 1917)
 Piscataquis
- Bathyphantes brevis* (Emerton, 1911)
 Aroostook, Kennebec, Washington
- Bathyphantes canadensis* (Emerton, 1882)
 Aroostook, Penobscot
- Bathyphantes eumenis* (L. Koch, 1879)
 Penobscot
- Bathyphantes gracilis* (Blackwall, 1841)
 Penobscot, Washington
- Bathyphantes pallidus* (Banks, 1892)
 Aroostook, Cumberland, Hancock, Kennebec, Lincoln, Oxford, Penobscot, Piscataquis, Somerset, Washington, York (Bryant 1908)
- Bathyphantes reprobus* (Kulczyński, 1916)
 Piscataquis
- Bathyphantes weyeri* (Emerton, 1875)
 York
 Genus *Carorita* Duffey & Merrett, 1963
- Carorita limnaea* (Crosby & Bishop, 1927)
 Piscataquis, Washington
 Genus *Centromerus* Dahl, 1886
- Centromerus cornupalpis* (O. Pickard-Cambridge, 1875)
 Cumberland, Hancock, Kennebec, Knox, Lincoln, Penobscot, Waldo, Washington, York (Bryant 1908)
- Centromerus denticulatus* (Emerton, 1909)
 Hancock, Piscataquis, York
- Centromerus furcatus* (Emerton, 1882)
 Aroostook, Piscataquis
- Centromerus longibulbus* (Emerton, 1882)
 Aroostook, Kennebec, Knox, Piscataquis, Somerset, Washington
- Centromerus persolutus* (O. Pickard-Cambridge, 1875)
 Aroostook, Hancock, Knox, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset, Washington, York
- Centromerus sylvaticus* (Blackwall, 1841)
 Aroostook, Cumberland, Lincoln, Penobscot, Somerset, Washington, York

- Genus *Ceraticelus* Simon, 1884
- Ceraticelus atriceps* (O. Pickard-Cambridge, 1874)
Aroostook, Cumberland, Hancock, Piscataquis, Somerset, Washington (Bryant 1908)
- Ceraticelus bulbosus* (Emerton, 1882)
Aroostook, Piscataquis, Washington
- Ceraticelus emertoni* (O. Pickard-Cambridge, 1874)
Androscoggin, Cumberland, Hancock, Lincoln, Penobscot, Washington, York (Bryant 1908)
- Ceraticelus fissiceps* (O. Pickard-Cambridge, 1874)
Androscoggin, Cumberland, Franklin, Hancock, Kennebec, Knox, Oxford, Penobscot, Piscataquis, Sagadahoc, Washington, York
- Ceraticelus laetabilis* (O. Pickard-Cambridge, 1874)
Aroostook, Hancock, Knox, Penobscot, Piscataquis, Sagadahoc, Somerset, Washington, York
- Ceraticelus laetus* (O. Pickard-Cambridge, 1874)
Aroostook
- Ceraticelus laticeps* (Emerton, 1894)
Cumberland, Hancock, Penobscot, Washington
- Ceraticelus minutus* (Emerton, 1882)
Knox, Penobscot, Piscataquis, Sagadahoc, Somerset, Waldo, Washington, York
- Ceraticelus silus* Dondale, 1958
Aroostook, Kennebec, Penobscot, York
- Ceraticelus similis* (Banks, 1892)
Aroostook, Penobscot, Piscataquis, Washington
Genus *Ceratinella* Emerton, 1882
- Ceratinella brunnea* Emerton, 1882
Aroostook, Hancock, Kennebec, Lincoln, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset, Waldo, Washington, York
- Ceratinella buna* Chamberlin, 1949
Penobscot
- Ceratinella ornatula* (Crosby & Bishop, 1925)
Aroostook
- Ceratinella parvula* (Fox, 1891)
Waldo, Washington
Genus *Ceratinops* Banks, 1905
- Ceratinops annulipes* (Banks, 1892)
Piscataquis, Somerset, Washington
- Ceratinops latus* (Emerton, 1882)
Androscoggin, Aroostook, Cumberland, Somerset, York
- Ceratinops rugosus* (Emerton, 1909)
Hancock, Kennebec, Sagadahoc, York
Genus *Ceratinopsis* Emerton, 1882
- Ceratinopsis auriculata* Emerton, 1909
Aroostook, Penobscot, Piscataquis, Somerset, Waldo, Washington, York
- Ceratinopsis interpres* (O. Pickard-Cambridge, 1874)
Hancock, York (Procter 1933)
- Ceratinopsis laticeps* Emerton, 1882
Cumberland, Penobscot, Washington
- Ceratinopsis nigriceps* Emerton, 1882
Hancock, Kennebec, Knox, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset, Washington, York
- Ceratinopsis nigripalpis* Emerton, 1882
Hancock, Penobscot, Washington
Genus *Cheniseo* Bishop & Crosby, 1935
- Cheniseo sphagniculator* Bishop & Crosby, 1935
Penobscot
Genus *Collinsia* O. Pickard-Cambridge, 1913
- Collinsia oxypaederotipus* (Crosby, 1905)
Aroostook, Penobscot

- Collinsia pertinens* (O. Pickard-Cambridge, 1875)
Cumberland (Bryant 1908)
- Collinsia plumosa* (Emerton, 1882)
Aroostook, Cumberland, Kennebec, Lincoln, Oxford, Penobscot, Piscataquis, Somerset, Washington
Genus *Coloncus* Chamberlin, 1949
- Coloncus siou* Chamberlin, 1949
Washington, York
Genus *Dicymbium* Menge, 1868
- Dicymbium elongatum* (Emerton, 1882)
Aroostook, Piscataquis
Genus *Diplocentria* Hull, 1911
- Diplocentria bidentata* (Emerton, 1882)
Aroostook, Piscataquis (Emerton 1914)
- Diplocentria rectangulata* (Emerton, 1915)
Cumberland, Piscataquis (Emerton, 1915)
Genus *Diplocephalus* Bertkau, 1883
- Diplocephalus cristatus* (Blackwall, 1833)
Aroostook, Hancock, Washington
- Diplocephalus subrostratus* (O. Pickard-Cambridge, 1873)
Aroostook, Hancock, Oxford, Penobscot, Piscataquis, Somerset, Washington
Genus *Diplostyla* Emerton, 1882
- Diplostyla concolor* (Wider, 1834)
Aroostook, Cumberland, Hancock, Kennebec, Lincoln, Penobscot, Somerset, Washington (Bryant 1908)
Genus *Dismodicus* Simon, 1884
- Dismodicus alticeps* Chamberlin & Ivie, 1947
Aroostook, Franklin, Hancock, Knox, Penobscot, Washington
- Dismodicus decemoculatus* (Emerton, 1882)
Aroostook, Hancock, Penobscot, Piscataquis, Washington
Genus *Drapetisca* Menge, 1866
- Drapetisca alteranda* Chamberlin, 1909
Androscoggin, Aroostook, Cumberland, Franklin, Hancock, Knox, Lincoln, Oxford, Penobscot, Sagadahoc, Somerset, Washington, York (Bryant 1908)
Genus *Eridantes* Crosby & Bishop, 1933
- Eridantes erigonoides* (Emerton, 1882)
Aroostook, Penobscot, Washington, York
- Eridantes utibilis* Crosby & Bishop, 1933
Oxford
Genus *Erigone* Audouin, 1826
- Erigone aletris* Crosby & Bishop, 1928
Cumberland, Hancock, Kennebec, Knox, Oxford, Sagadahoc, Washington, York (Crosby & Bishop 1928)
- Erigone atra* Blackwall, 1933
Androscoggin, Aroostook, Cumberland, Hancock, Kennebec, Knox, Oxford, Penobscot, Piscataquis, Washington, York
- Erigone autumnalis* Emerton, 1882
Hancock, Kennebec, Oxford, Penobscot, Sagadahoc, Waldo, Washington, York (Crosby & Bishop 1928)
- Erigone blaesa* Crosby and Bishop, 1928
Aroostook, Hancock, Penobscot, Waldo, Washington, York
- Erigone cristatopalpus* Simon, 1884
Washington
- Erigone dentigera* O. Pickard-Cambridge, 1874
Kennebec, Oxford, Washington
- Erigone dentipalpis* (Wider, 1834)
Aroostook, Penobscot, Washington, York
- Erigone ephala* Crosby & Bishop, 1928
Aroostook, Cumberland, Knox, Washington (Crosby & Bishop 1928)

- Erigone tirolensis* L. Koch, 1872
 Washington
 Genus *Estrandia* Blauvelt, 1936
- Estrandia grandaea* (Keyserling, 1886)
 Aroostook, Hancock, Knox, Piscataquis, Washington (Emerton 1914)
 Genus *Floricomus* Crosby & Bishop, 1925
- Floricomus nasutus* (Emerton, 1911)
 Kennebec, Sagadahoc
- Floricomus plumalis* (Crosby, 1905)
 Aroostook, Hancock, Oxford, Penobscot, Piscataquis, Somerset, Washington, York
- Floricomus rostratus* (Emerton, 1882)
 Cumberland, Piscataquis, Washington
 Genus *Frontinella* F. O. Pickard-Cambridge, 1902
- Frontinella pyramitela* (Walckenaer, 1841)
 Aroostook, Cumberland, Franklin, Hancock, Kennebec, Knox, Lincoln, Oxford, Penobscot, Piscataquis, Somerset, Waldo, Washington, York
 Genus *Glypesis* Simon, 1926
- Glypesis scopulifer* (Emerton, 1882)
 Piscataquis
 Genus *Gnathonaroides* Bishop & Crosby, 1938
- Gnathonaroides pedalis* (Emerton, 1923)
 Penobscot, Piscataquis
 Genus *Gonatium* Menge, 1868
- Gonatium crassipalpum* Bryant, 1933
 Aroostook, Cumberland, Hancock, Oxford, Penobscot, Piscataquis, Somerset, Waldo, Washington, York
 (Bishop & Crosby 1935)
 Genus *Grammonota* Emerton, 1882
- Grammonota angusta* Dondale, 1959
 Aroostook, Cumberland, Franklin, Hancock, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset, Waldo, Washington, York
 (Dondale 1959)
- Grammonota capitata* Emerton, 1924
 Hancock, Knox, Penobscot, Washington, York
- Grammonota gentilis* Banks, 1898
 Aroostook, Knox, Lincoln, Penobscot, Washington, York
- Grammonota gigas* (Banks 1896)
 Aroostook, Franklin, Hancock, Lincoln, Penobscot, Piscataquis, Somerset, Washington
- Grammonota inornata* Emerton, 1882
 Cumberland, Somerset, York (Bryant 1908)
- Grammonota inusiata* Bishop & Crosby, 1933
 Penobscot
- Grammonota maritima* Emerton, 1925
 Washington
- Grammonota ornata* (O. Pickard-Cambridge, 1875)
 Hancock, Washington
- Grammonota pallipes* Banks, 1895
 Cumberland, Washington
- Grammonota pictilis* (O. Pickard-Cambridge, 1875)
 Androscoggin, Aroostook, Cumberland, Franklin, Hancock, Kennebec, Knox, Lincoln, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset, Waldo, Washington, York (Bryant 1908; Bishop & Crosby 1932)
- Grammonota trivittata* Banks, 1895
 Cumberland, Knox, Sagadahoc, Washington (Emerton 1914)
- Grammonota vittata* Barrows, 1919
 Penobscot
 Genus *Helophora* Menge, 1866
- Helophora insignis* (Blackwall, 1841)
 Androscoggin, Aroostook, Hancock, Lincoln, York

- Genus *Hilaira* Simon, 1884
- Hilaira canaliculata* (Emerton, 1915)
Aroostook
- Hilaira herniosa* (Thorell, 1875)
Piscataquis
Genus *Horcotes* Crosby & Bishop, 1933
- Horcotes quadricristatus* (Emerton, 1882)
Piscataquis
Genus *Hybauchenidium* Holm, 1973
- Hybauchenidium cymbadentatum* (Crosby & Bishop, 1935)
Penobscot
Genus *Hypomma* Dahl, 1886
- Hypomma marxi* (Keyserling, 1886)
Kennebec, Piscataquis
Genus *Hypselistes* Simon, 1894
- Hypselistes florens* (O. Pickard-Cambridge, 1875)
Androscoggin, Aroostook, Cumberland, Franklin, Hancock, Kennebec, Knox, Oxford, Penobscot,
Piscataquis, Sagadahoc, Somerset, Waldo, Washington, York
Genus *Idionella* Banks, 1893
- Idionella formosa* (Banks, 1892)
Cum, Knox, York (Bryant 1908; Emerton 1914)
- Idionella rugosa* (Crosby, 1905)
Hancock, Sagadahoc, Waldo, Washington, York
Genus *Improphanes* Saaristo & Tanasevitch, 1996
- Improphanes complicatus* (Emerton, 1882)
Piscataquis
Genus *Incestophantes* Tanasevitch, 1992
- Incestophantes duplicatus* (Emerton, 1913)
Hancock, Piscataquis, Washington (Emerton 1913)
- Incestophantes washingtoni* (Zorsch, 1937)
Piscataquis
Genus *Islandiana* Braendgaard, 1932
- Islandiana flaveola* (Banks, 1892)
Cumberland, Hancock, Penobscot, Washington (Procter 1946)
- Islandiana flavoides* Ivie, 1965
Washington
- Islandiana longisetosa* (Emerton, 1882)
Knox, Penobscot, Piscataquis, Washington
- Islandiana princeps* Braendgaard, 1932
Piscataquis
Genus *Kaestneria* Wiegle, 1956
- Kaestneria pullata* (O. Pickard-Cambridge, 1863)
Aroostook, Hancock, Knox, Piscataquis, Washington
- Kaestneria rufula* (Hackman, 1954)
Kennebec, Oxford, Penobscot, Piscataquis
Genus *Leptyphantes* Menge, 1866
- Leptyphantes alpinus* (Emerton, 1882)
Aroostook, Hancock, Lincoln, Penobscot, Piscataquis, Washington (Bryant 1908)
- Leptyphantes intricatus* (Emerton, 1911)
Aroostook, Penobscot, Piscataquis
- Leptyphantes leporinus* (Ohlert, 1865)
Franklin, Hancock, Kennebec, Penobscot, Sagadahoc, Washington (Procter 1946)
- Leptyphantes turbatrix* (O. Pickard-Cambridge, 1877)
Aroostook, Franklin, Hancock, Oxford, Penobscot, Piscataquis, Washington
Genus *Linyphia* Latreille, 1804

- **Linyphia triangularis* (Clerck, 1757)
 Androscoggin, Cumberland, Franklin, Hancock, Kennebec, Knox, Lincoln, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset, Waldo, Washington, York
 Genus *Lophomma* Menge, 1868
- Lophomma depressum* (Emerton, 1882)
 Aroostook, Washington
- Lophomma vaccinii* (Emerton, 1926)
 Penobscot
 Genus *Macrargus* Dahl, 1886
- Macrargus multesimus* (O. Pickard-Cambridge, 1875)
 Hancock, Kennebec, Knox, Lincoln, Oxford, Penobscot, Piscataquis, Waldo, Washington, York
 Genus *Maro* O. Pickard-Cambridge, 1906
- Maro amplus* Dondale & Buckle, 2001
Piscataquis (Buckle *et al.* 2001)
- Maro nearcticus* Dondale & Buckle, 2001
Piscataquis (Buckle *et al.* 2001)
 Genus *Maso* Simon, 1884
- Maso sundevalli* (Westring, 1851)
Hancock, Washington (Procter 1946)
 Genus *Megalepthyphantes* Wunderlich, 1994
- Megalepthyphantes nebulosus* (Sundevall, 1830)
Hancock, Kennebec, Penobscot (Procter 1933)
 Genus *Mermessus* O. Pickard-Cambridge, 1899
- Mermessus brevidentatus* (Emerton, 1909)
 Androscoggin, Sagadahoc, York
- Mermessus contortus* (Emerton, 1882)
 Aroostook, Cumberland, Kennebec, Penobscot
- Mermessus entomologicus* (Emerton, 1911)
Hancock, Piscataquis, Washington
- Mermessus maculatus* (Banks, 1892)
 Aroostook, Knox, Penobscot, Piscataquis, York
- Mermessus tenuipalpis* (Emerton, 1911)
 Cumberland, York
- Mermessus trilobatus* (Emerton, 1882)
 Aroostook, Hancock, Kennebec, Knox, Penobscot, Piscataquis, Somerset, Washington, York
- Mermessus undulatus* (Emerton, 1914)
 Aroostook, Cumberland, Lincoln, Piscataquis, Washington
 Genus *Metopobactrus* Simon, 1884
- Metopobactrus prominulus* (O. Pickard-Cambridge, 1873)
 Aroostook, Lincoln, Penobscot, Piscataquis, Somerset, *Waldo*, Washington (Bishop & Crosby 1935)
 Genus *Micrargus* Dahl, 1886
- Micrargus longitarsus* (Emerton, 1882)
Piscataquis, Somerset, Washington, York
 Genus *Microlinyphia* Gerhardt, 1928
- Microlinyphia mandibulata* (Emerton, 1882)
 Aroostook, Cumberland, Hancock, Knox, Lincoln, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset, Waldo, Washington, York
- Microlinyphia pusilla* (Sundevall, 1830)
 Kennebec
 Genus *Microneta* Menge, 1869
- Microneta viaria* (Blackwall, 1841)
 Aroostook, Hancock, Kennebec, Lincoln, Penobscot, Sagadahoc, Somerset, Washington
 Genus *Neodietrichia* Özdi̇kem, 2008
- Neodietrichia hesperia* (Crosby & Bishop 1933)
 Aroostook, Penobscot, Washington

- Genus *Neriene* Blackwall, 1833
- Neriene clathrata* (Sundevall, 1830)
Aroostook, Hancock, Lincoln, Oxford, Penobscot, Somerset, Washington
- Neriene radiata* (Walckenaer, 1841)
Aroostook, Cumberland, Franklin, Hancock, Kennebec, Knox, Lincoln, Oxford, Penobscot, Piscataquis, Somerset, Waldo, Washington, York
- Neriene variabilis* (Banks, 1892)
Cumberland, *Hancock* (Procter 1946)
Genus *Oedothorax* Bertkau, 1883
- Oedothorax montifer* (Emerton, 1882)
Androscoggin, Aroostook, Hancock, Knox, Piscataquis, Sagadahoc, York
- Oedothorax trilobatus* (Banks, 1896)
Aroostook, Hancock, Kennebec, Penobscot, Somerset
Genus *Oreoneta* Kulczyński, 1894
- Oreoneta brunnea* (Emerton, 1882)
Piscataquis
Genus *Oreonetides* Strand, 1901
- Oreonetides flavescens* (Crosby, 1937)
Hancock, Piscataquis
- Oreonetides rectangulatus* (Emerton, 1913)
Penobscot, Piscataquis, Somerset
- Oreonetides rotundus* (Emerton, 1913)
Aroostook, Piscataquis, Washington
- Oreonetides vaginatus* (Thorell, 1872)
Aroostook, Piscataquis
Genus *Oreophantes* Eskov, 1984
- Oreophantes recurvatus* (Emerton, 1913)
Aroostook, Piscataquis
Genus *Oryphantes* Hull, 1932
- Oryphantes aliquantulus* Dupérré & Paquin, 2007
Piscataquis
Genus *Pelecopsis* Simon, 1864
- Pelecopsis bishopi* Kaston, 1945
York
Genus *Phlattothrata* Crosby and Bishop, 1933
- Phlattothrata flagellata* (Emerton, 1911)
Hancock (Emerton 1911)
Genus *Pityohyphantes* Simon, 1929
- Pityohyphantes costatus* (Hentz, 1850)
Androscoggin, Aroostook, Cumberland, Franklin, Hancock, Kennebec, Knox, Oxford, Penobscot, Piscataquis, Somerset, Waldo, Washington, York
- Pityohyphantes limitaneus* (Emerton, 1915)
Aroostook, *Hancock* (Emerton 1915; Procter 1938)
- Pityohyphantes subarcticus* Chamberlin & Ivie, 1943
Androscoggin, Aroostook, Cumberland, Hancock, Penobscot, Piscataquis, Waldo, Washington
Genus *Pocadicnemis* Simon, 1884
- Pocadicnemis americana* Millidge, 1976
Aroostook, Hancock, Oxford, Penobscot, Piscataquis, Somerset, Waldo, Washington, York
- Pocadicnemis pumila* (Blackwall, 1841)
Hancock, Penobscot, Somerset, Washington
Genus *Poeciloneta* Kulczyński, 1894
- Poeciloneta bihamata* (Emerton, 1882)
Hancock, Sagadahoc
- Poeciloneta calcaratus* (Emerton, 1909)
Aroostook, Cumberland, Hancock, Oxford, *Piscataquis*, Sagadahoc, Washington (Emerton 1909)

- Poeciloneta theridiformis* (Emerton, 1911)
 Hancock
 Genus *Porrhomma* Simon, 1884
- Porrhomma convexum* (Westring, 1851)
 Penobscot, Washington, York
- **Porrhomma pallidum* Jackson, 1913
 Aroostook, Knox
- Porrhomma terrestre* (Emerton, 1882)
 Washington
 Genus *Praestigia* Millidge, 1954
- Praestigia kulczynskii* Eskov, 1979
 Piscataquis
 Genus *Satilatlas* Keyserling, 1886
- Satilatlas arenarius* (Emerton, 1911)
 Sagadahoc, Washington (Emerton 1914)
- Satilatlas marxi* Keyserling, 1886
 Hancock, Penobscot, Sagadahoc, Waldo, Washington
 Genus *Sciastes* Bishop & Crosby, 1938
- Sciastes truncatus* (Emerton, 1882)
 Aroostook, Franklin, Hancock, Penobscot, Piscataquis, Washington, York
 Genus *Scironis* Bishop & Crosby, 1938
- Scironis tarsalis* (Emerton, 1911)
 Aroostook, Hancock, Knox, Penobscot, Piscataquis, Somerset, York
 Genus *Scotinotylus* Simon, 1884
- Scotinotylus exsectoides* Millidge, 1981
 Penobscot, Washington, York
- Scotinotylus pallidus* (Emerton, 1882)
 Penobscot, Piscataquis, Somerset
- Scotinotylus vernalis* (Emerton, 1882)
 York
 Genus *Scylaceus* Bishop & Crosby, 1938
- Scylaceus pallidus* (Emerton, 1882)
 Androscoggin, Penobscot, Waldo, Washington, York
 Genus *Scyletria* Bishop & Crosby, 1938
- Scyletria inflata* Bishop & Crosby, 1938
 Aroostook
 Genus *Semljicola* Strand, 1906
- Semljicola obtusus* (Emerton, 1915)
 Penobscot, Piscataquis
 Genus *Sisicottus* Bishop & Crosby, 1938
- Sisicottus montanus* (Emerton, 1882)
 Aroostook, Cumberland, Hancock, Penobscot, Piscataquis, Washington (Bishop & Crosby 1938)
 Genus *Sisicus* Bishop & Crosby, 1938
- Sisicus apertus* (Holm, 1939)
 Piscataquis
- Sisicus penifusifer* Bishop & Crosby, 1938
 Aroostook, Knox, Oxford, Piscataquis, Washington, York (Bishop & Crosby 1938)
 Genus *Sisyrbe* Bishop & Crosby, 1938
- Sisyrbe rustica* (Banks, 1892)
 Washington
 Genus *Souessa* Crosby & Bishop, 1936
- Souessa spinifera* (O. Pickard-Cambridge, 1874)
 Franklin, Oxford, Penobscot, Piscataquis, York
 Genus *Sougambus* Crosby & Bishop, 1936
- Sougambus bostoniensis* (Emerton, 1882)
 Aroostook, Hancock, Knox, Penobscot, Waldo

- Genus *Soulgas* Crosby & Bishop, 1936
- Soulgas corticarius* (Emerton, 1909)
Aroostook, Cumberland, Franklin, Hancock, Penobscot, Piscataquis, Sagadahoc, Washington, York
Genus *Stemonyphantes* Menge, 1866
- Stemonyphantes blaauveltae* Gertsch, 1951
Piscataquis, Washington, York
Genus *Styloctetor* Simon, 1884
- Styloctetor compar* (Westring, 1861)
Washington
- Styloctetor compar* (Westring, 1861)
Washington
Genus *Tapinocyba* Simon, 1884
- Tapinocyba bicarinata* (Emerton, 1913)
Aroostook, Piscataquis, Penobscot (Crosby & Zorsch 1935)
- Tapinocyba minuta* (Emerton, 1909)
Aroostook, Franklin, Oxford, Penobscot, Piscataquis, Somerset, Washington
- Tapinocyba simplex* (Emerton, 1882)
Aroostook, Piscataquis, Hancock, Knox, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset, Waldo, Washington, York
Genus *Tapinopa* Westring, 1851
- Tapinopa bilineata* Banks, 1893
Cumberland, Hancock, Lincoln, Washington, York (Emerton 1909)
Genus *Tapinotorquis* Dupérré & Paquin, 2007
- Tapinotorquis yamaskensis* Dupérré & Paquin, 2007
Knox, Penobscot
Genus *Tennesseellum* Petrunkevitch, 1925
- Tennessellum formica* (Emerton, 1882)
Aroostook, Penobscot, Washington
Genus *Tenuiphantes* Saaristo & Tanasevitch, 1996
- Tenuiphantes sabulosus* (Keyserling, 1886)
Kennebec
- Tenuiphantes zebra* (Emerton, 1882)
Aroostook, Cumberland, Hancock, Kennebec, Knox, Penobscot, Piscataquis, Somerset, Washington, York (Bryant 1908)
Genus *Thyreosthenius* Simon, 1884
- Thyreosthenius parasiticus* (Westring, 1851)
Aroostook
Genus *Tunagyna* Chamberlin & Ivie, 1933
- Tunagyna debilis* (Banks, 1892)
Androscoggin, Aroostook, Hancock, Knox, Penobscot, Piscataquis, Somerset, Washington, York
Genus *Vermontia* Millidge, 1984
- Vermontia thoracica* (Emerton, 1913)
Hancock
Genus *Wabasso* Millidge, 1984
- Wabasso cacuminatus* Millidge, 1984
Piscataquis
- Wabasso quaestio* (Chamberlin, 1949)
Piscataquis
Genus *Walckenaeria* Blackwall, 1833
- Walckenaeria arctica* Millidge, 1983
Penobscot
- Walckenaeria atrotibialis* (O. Pickard-Cambridge, 1878)
Aroostook, Hancock, Kennebec, Lincoln, Oxford, Penobscot, Piscataquis, Somerset, Washington
- Walckenaeria auranticeps* (Emerton, 1882)
Hancock, Somerset, Washington

- Walckenaeria breviaria* (Crosby & Bishop, 1931)
 Hancock, Penobscot, Washington, York
- Walckenaeria brevicornis* (Emerton, 1882)
 Aroostook, Hancock, Lincoln, Penobscot, Somerset, Washington, York
- Walckenaeria castanea* (Emerton, 1882)
 Aroostook, Hancock, Penobscot, Piscataquis, Somerset, Washington, York
- Walckenaeria clavicornis* (Emerton, 1882)
 Piscataquis
- Walckenaeria communis* (Emerton, 1882)
 Hancock, Knox, Lincoln, Oxford, Penobscot, Piscataquis, Somerset, Washington, York
- Walckenaeria cuspidata brevicula* (Crosby & Bishop, 1931)
 Piscataquis
- Walckenaeria digitata* (Emerton, 1913)
 Aroostook, Hancock, Penobscot, Washington, York
- Walckenaeria directa* (O. Pickard-Cambridge, 1874)
 Aroostook, Cumberland, Hancock, Kennebec, Knox, Penobscot, Piscataquis, Somerset, Washington, York
- Walckenaeria dondalei* Millidge, 1983
 Washington
- Walckenaeria exigua* Millidge, 1983
 Aroostook, Hancock, Kennebec, Knox, Penobscot, Piscataquis, Sagadahoc, Somerset, Washington, York
- **Walckenaeria fallax* Millidge, 1983
 Lincoln, Penobscot
- Walckenaeria fusciceps* Millidge, 1983
 Piscataquis
- Walckenaeria lepida* (Kulczyński, 1885)
 Hancock, Penobscot, Washington
- Walckenaeria minuta* (Emerton, 1882)
 Penobscot, Piscataquis, Somerset
- Walckenaeria pallida* (Emerton, 1882)
 Penobscot
- Walckenaeria palustris* Millidge, 1983
 Penobscot, York
- Walckenaeria pinocchio* (Kaston, 1945)
 Penobscot, Washington
- Walckenaeria placida* (Banks, 1892)
 Penobscot, Waldo, Washington
- Walckenaeria redneri* Millidge, 1983
 Washington
- Walckenaeria spiralis* (Emerton, 1882)
 Aroostook, Hancock, Penobscot, Piscataquis, Somerset, Washington, York
- Walckenaeria subspiralis* Millidge, 1983
 Penobscot, Piscataquis, Somerset, Washington
- Walckenaeria tenella* Millidge, 1983
 Washington, York
- Walckenaeria teres* Millidge, 1983
 Piscataquis, Hancock
- Walckenaeria tibialis* (Emerton, 1882)
 Cumberland, Hancock, Knox
 Genus *Wubana* Chamberlin, 1919
- Wubana drassoides* (Emerton, 1882)
 Piscataquis
- Wubana pacifica* (Banks, 1896)
 Hancock
 Genus *Zornella* Jackson, 1932
- **Zornella cultrigera* (L. Koch, 1879)
 Aroostook, Piscataquis (Crosby & Bishop 1933)

FAMILY LIOCRANIDAEGenus *Agroeca* Westring, 1861*Agroeca ornata* Banks, 1892Aroostook, Franklin, Hancock, Kennebec, Lincoln, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset,
Washington, York*Agroeca pratensis* Emerton, 1890Aroostook, Hancock, Lincoln, Penobscot, *Piscataquis*, Somerset, Washington, York (Bryant 1908)**FAMILY LYCOSIDAE**Genus *Alopecosa* Simon, 1885*Alopecosa aculeata* (Clerck, 1757)Aroostook, Hancock, *Knox*, Lincoln, Penobscot, Piscataquis, Somerset, Washington (Bishop 1923)*Alopecosa kochi* (Keyserling, 1877)

Androscoggin, Washington (Bryant 1908)

Genus *Arctosa* C. L. Koch, 1847*Arctosa alpigena* (Doleschall, 1852)

Cumberland, Piscataquis (Bryant 1908)

Arctosa emertoni Gertsch, 1934

Hancock, Knox, Washington, York

Arctosa lama Dondale & Redner, 1983

Hancock, Washington

Arctosa littoralis (Hentz, 1844)

Hancock, Waldo

Arctosa raptor (Kulczyński, 1885)

Penobscot, Piscataquis, Washington

Arctosa rubicunda (Keyserling, 1877)

Lincoln, Washington, York

Genus *Geolycosa* Montgomery, 1904*Geolycosa pikei* (Marx, 1881)

York (Emerton 1912)

Geolycosa turricola (Treat, 1880)

Specific locality not given (Emerton 1912)

Genus *Gladicosa* Brady, 1987*Gladicosa gulosa* (Walckenaer, 1837)

Franklin, Hancock, Kennebec, Knox, Penobscot, York

Genus *Hogna* Simon, 1885*Hogna carolinensis* (Walckenaer, 1805)Cumberland, Franklin, Hancock, *Oxford*, Waldo, York (Hentz 1875; Bryant 1908)*Hogna frondicola* (Emerton, 1885)Aroostook, Cumberland, Franklin, Hancock, Kennebec, *Knox*, Lincoln, Penobscot, Somerset, Washington,
York (Bryant 1908; Bishop 1923)Genus *Pardosa* C. L. Koch, 1847*Pardosa albomaculata* Emerton, 1885

Piscataquis

Pardosa concinna (Thorell, 1877)

Piscataquis

Pardosa distincta (Blackwall, 1846)Aroostook, Cumberland, Franklin, Hancock, Kennebec, *Knox*, Lincoln, *Oxford*, Penobscot, Piscataquis,
Sagadahoc, Somerset, Waldo, Washington, York (Bryant 1908)*Pardosa fuscula* (Thorell, 1875)Androscoggin, Aroostook, Cumberland, Franklin, Hancock, Kennebec, *Knox*, Lincoln, Penobscot,
Piscataquis, Somerset, Waldo, Washington (Emerton 1914; Bryant 1908)*Pardosa groenlandica* (Thorell, 1872)

Cumberland, Hancock, Lincoln, Piscataquis, Waldo, Washington (Bryant 1908)

- Pardosa hyperborea* (Thorell, 1872)
Aroostook, Hancock, Oxford, Piscataquis, Washington
- Pardosa lapidicina* Emerton, 1885
Androscoggin, Aroostook, Cumberland, Franklin, Hancock, Lincoln, Oxford, Penobscot, Piscataquis,
Sagadahoc, Somerset, Waldo, Washington, York (Bryant 1908)
- Pardosa littoralis* Banks, 1896
Cumberland, York
- Pardosa mackenziana* (Keyserling, 1877)
Aroostook, Franklin, Hancock, Penobscot, Piscataquis, Somerset, Washington
- Pardosa milvina* (Hentz, 1844)
Aroostook, Hancock, Kennebec, *Lincoln*, Penobscot, Piscataquis, Somerset, Waldo, Washington (Bryant
1908)
- Pardosa modica* (Blackwall, 1846)
Aroostook, Hancock, Penobscot, Piscataquis, Waldo, Washington
- Pardosa moesta* Banks, 1892
Aroostook, Cumberland, Franklin, Hancock, Kennebec, Knox, Lincoln, Oxford, Penobscot, Piscataquis,
Sagadahoc, Somerset, Waldo, Washington, York
- Pardosa palustris* (Linnaeus, 1758)
Hancock, Somerset
- Pardosa saxatilis* (Hentz, 1844)
Cumberland, Hancock, Knox, Penobscot, Washington, York (Bryant 1908)
- Pardosa uintana* Gertsch, 1933
Penobscot, Piscataquis
- Pardosa xerampelina* (Keyserling, 1877)
Androscoggin, Aroostook, Cumberland, Franklin, Hancock, Kennebec, Knox, Lincoln, Oxford, Penobscot,
Piscataquis, Sagadahoc, Somerset, Waldo, Washington, York (Bryant 1908)
Genus *Pirata* Sundevall, 1833
- Pirata aspirans* Chamberlin, 1904
Knox, Washington, York (Wallace & Exline 1978)
- Pirata montanus* Emerton, 1885
Aroostook, Cumberland, Kennebec, Lincoln, Oxford, Penobscot, Piscataquis, Somerset (Bryant 1908)
- Pirata piraticus* (Clerck, 1757)
Aroostook, Cumberland, Hancock, Kennebec, Lincoln, Penobscot, Piscataquis, Sagadahoc, Waldo,
Washington, York
- Pirata praedo* Kulczyński, 1885
Hancock, Oxford, Penobscot
- Pirata sedentarius* Montgomery, 1904
Aroostook, Oxford, Piscataquis, York
Genus *Piratula* Roewer, 1960
- Piratula canadensis* (Dondale & Redner, 1981)
Hancock, Penobscot, Piscataquis
- Piratula cantralli* (Wallace & Exline, 1978)
Aroostook, Kennebec, Lincoln, Oxford, Penobscot, Piscataquis, Somerset, Washington, York
- Piratula insularis* (Emerton, 1885)
Aroostook, Hancock, Kennebec, Lincoln, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset,
Washington, York
- Piratula minuta* (Emerton, 1885)
Aroostook, Cumberland, Hancock, Kennebec, Lincoln, Penobscot, Piscataquis, Sagadahoc, Somerset,
Waldo, Washington, York (Wallace & Exline 1978)
Genus *Schizocosa* Chamberlin, 1904
- Schizocosa avida* (Walckenaer, 1837)
Cumberland, Hancock, *Lincoln*, Sagadahoc, Washington (Bryant 1908)
- Schizocosa bilineata* (Emerton, 1885)
Penobscot, York

- Schizocosa communis* (Emerton, 1885)
 Hancock, Washington
- Schizocosa crassipalpata* Roewer, 1951
 Aroostook, Cumberland, Hancock, Kennebec, Penobscot, Waldo, Washington (Emerton 1909)
- Schizocosa humilis* (Banks, 1892)
 Kennebec, Oxford, Penobscot
- Schizocosa ocreata* (Hentz, 1844)
 Hancock (Bryant 1908)
- Schizocosa retrorsa* (Banks, 1911)
 York
- Schizocosa saltatrix* (Hentz, 1844)
 Sagadahoc, Washington, York
 Genus *Tigrosa* Brady, 012
- Tigrosa helluo* (Walckenaer, 1837)
 Cumberland, Hancock, Kennebec, Sagadahoc, York (Bryant 1908; Procter 1933)
 Genus *Trabeops* Roewer, 1959
- Trabeops aurantiacus* (Emerton, 1885)
 Lincoln, Sagadahoc, Washington, York
 Genus *Trebacosa* Dondale & Redner, 1981
- Trebacosa marxi* (Stone, 1890)
 Hancock, Penobscot, York
 Genus *Trochosa* C. L. Koch, 1847
- Trochosa ruricola* (De Geer, 1778)
 Aroostook, Cumberland, Franklin, Hancock, Kennebec, Lincoln, Penobscot, Piscataquis, Sagadahoc, Somerset, Waldo, Washington, York
- Trochosa terricola* Thorell, 1856
 Aroostook, Cumberland, Franklin, Hancock, Kennebec, Knox, Lincoln, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset, Waldo, Washington, York (Bryant 1908)
 Genus *Varacosa* Chamberlin & Ivie, 1942
- Varacosa avara* (Keyserling, 1877)
 Cumberland, York (Bryant 1908)

FAMILY MIMETIDAE

- Genus *Ero* C. L. Koch, 1836
- Ero canionis* Chamberlin & Ivie, 1935
 Aroostook, Franklin, Hancock, Penobscot, Piscataquis, Washington
- Ero leonina* (Hentz, 1850)
 Hancock, York (Procter 1946)
 Genus *Mimetus* Hentz, 1832
- Mimetus epeirooides* Emerton, 1882
 Hancock, Penobscot (Procter 1938)
- Mimetus puritanus* Chamberlin, 1923
 Cumberland, York (Chamberlin 1923)

FAMILY MITURGIDAE

- Genus *Zora* C. L. Koch, 1847
- Zora pumila* (Hentz, 1850)
 York

FAMILY NESTICIDAE

- Genus *Nesticus* Thorell, 1869
- Nesticus cellulanus* (Clerck 1757)
 Waldo

****FAMILY OECOBIIDAE****Genus *Oecobius* Lucas, 1846*Oecobius navus* Blackwall, 1859**FAMILY OXYOPIDAE**Genus *Oxyopes* Latreille, 1804*Oxyopes scalaris* Hentz, 1845

Oxford, Penobscot, Washington, York

FAMILY PHILODROMIDAEGenus *Ebo* Keyserling, 1884*Ebo iviei* Sauer & Platnick, 1972

Washington

Ebo latithorax Keyserling, 1884

Lincoln

Genus *Philodromus* Walckenaer, 1826*Philodromus cespitum* (Walckenaer, 1802)

Aroostook, Cumberland, Franklin, Hancock, Penobscot, Piscataquis, Somerset, Waldo, Washington

Philodromus exilis Banks, 1892

Aroostook, Cumberland, Hancock, Kennebec, Lincoln, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset, Waldo, Washington, York

Philodromus imbecillus Keyserling, 1880

Androscoggin, Cumberland, Kennebec, Washington, York

Philodromus infuscatus Keyserling, 1880

York

Philodromus laticeps Keyserling, 1880

Cumberland, York

Philodromus marxi Keyserling, 1884

Specific locality not given (Bryant 1908)

Philodromus mineri Gertsch, 1933

York

Philodromus minutus Banks, 1892

Androscoggin, York

Philodromus peninsulaus Gertsch, 1934

Cumberland, Washington

Philodromus pernix Blackwall, 1846

Aroostook, Cumberland, Hancock, Penobscot, Piscataquis, Somerset, Waldo, Washington

Philodromus placidus Banks, 1892

Aroostook, Cumberland, Hancock, Kennebec, Oxford, Penobscot, Piscataquis, Somerset, Washington,

York (Bryant 1908)

Philodromus praelustris Keyserling, 1880

Aroostook, Franklin, Hancock, Knox, Oxford, Penobscot, Washington, York (Procter 1946)

Philodromus rufus Walckenaer, 1826

Androscoggin, Cumberland, Hancock, Kennebec, Knox, Oxford, Penobscot, Piscataquis, Somerset, Washington, York

Philodromus rufus quartus Dondale & Redner, 1968

Hancock, Oxford, Penobscot, Washington

Philodromus rufus vibrans Dondale, 1964

Aroostook, Hancock, Kennebec, Lincoln, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset, Washington, York (Dondale & Redner 1968)

Philodromus validus (Gertsch, 1933)

Washington

- Philodromus vulgaris* (Hentz, 1847)
 Aroostook, Cumberland, Penobscot, Washington, York
 Genus *Rhysodromus* Schick, 1965
- Rhysodromus histrio* (Latreille, 1819)
 Aroostook, Hancock, Washington
 Genus *Thanatus* C. L. Koch, 1837
- Thanatus coloradensis* Keyserling, 1880
Hancock(Procter 1933)
- Thanatus formicinus* (Clerck, 1757)
 Aroostook, Cumberland, Hancock, Lincoln, Penobscot, Piscataquis, Washington, York (Dondale *et al.* 1964)
- Thanatus rubicellus* Mello-Leitão, 1929
Cumberland, Penobscot, Piscataquis, Washington, York (Bryant 1908)
- Thanatus striatus* C. L. Koch, 1845
 Aroostook, Lincoln, Penobscot, Waldo, Washington
 Genus *Tibellus* Simon, 1875
- Tibellus maritimus* (Menge, 1875)
 Cumberland, Hancock, Lincoln, Penobscot, Piscataquis, Sagadahoc, Washington, York
- Tibellus oblongus* (Walckenaer, 1802)
 Androscoggin, Aroostook, Cumberland, Hancock, Kennebec, Knox, Lincoln, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset, Washington, York

FAMILY PHOLCIDAE

- Genus *Pholcus* Walckenaer, 1805
- Pholcus manueli* Gertsch, 1937
Hancock, Kennebec, Lincoln, Penobscot, Washington, York
- **Pholcus phalangioides* (Fuesslin, 1775)
Hancock, Kennebec, Knox, Penobscot, Waldo, Washington
 Genus *Spermophora* Hentz, 1841
- Spermophora senoculata* (Dugès, 1836)
Penobscot

FAMILY PHRUROLITHIDAE

- Genus *Phrurotimpus* Chamberlin & Ivie, 1935
- Phrurotimpus alarius* (Hentz 1847)
 Aroostook, Cumberland, Hancock, Kennebec, Lincoln, Penobscot, Sagadahoc, Washington, York (Bryant 1908)
- Phrurotimpus borealis* (Emerton, 1911)
 Aroostook, Cumberland, Franklin, Hancock, Kennebec, Knox, Lincoln, Penobscot, Sagadahoc, Somerset, Waldo, Washington, York
- Phrurotimpus certus* Gertsch, 1941
Hancock, Washington, York (Procter 1946)
- Phrurotimpus minutus* (Banks, 1892)
Washington, York
 Genus *Scotinella* Banks, 1911
- Scotinella brittoni* (Gertsch, 1941)
Hancock, York (Gertsch 1941)
- Scotinella divesta* (Gertsch, 1941)
Cumberland, Hancock, Lincoln, Penobscot, Somerset, Waldo, Washington, York (Gertsch 1941)
- Scotinella madisonia* Levi, 1951
Penobscot
- Scotinella pugnata* (Emerton, 1890)
 Aroostook, Cumberland, Hancock, Penobscot, Somerset, Waldo, Washington (Bryant 1908; Procter 1946)

FAMILY PISAURIDAE

Genus *Dolomedes* Latreille, 1804

Dolomedes scriptus Hentz, 1845

Androscoggin, Cumberland, Hancock, Kennebec, Oxford, Penobscot, Somerset, Washington, York
(Bryant 1908; Bishop 1924)

Dolomedes striatus Giebel, 1869

Aroostook, Hancock, Lincoln, Penobscot, Washington

Dolomedes tenebrosus Hentz, 1844

Androscoggin, Aroostook, Cumberland, Franklin, Kennebec, Penobscot, Somerset, Waldo
(Emerton 1909)

Dolomedes triton (Walckenaer, 1837)

Aroostook, Franklin, Hancock, Kennebec, *Piscataquis* (Blake 927)

Genus *Pisaurina* Simon, 1898

Pisaurina mira (Walckenaer, 1837)

Androscoggin, Cumberland, Franklin, Hancock, Kennebec, Knox, Lincoln, Penobscot, Sagadahoc,
Washington, York

FAMILY SALTICIDAE

Genus *Admestina* Peckham & Peckham, 1888

Admestina wheeleri Peckham & Peckham, 1888

Kennebec, Penobscot, Washington, York

Genus *Attulus* Simon, 1889

Aroostook, Cumberland, Franklin, Hancock, Kennebec, Oxford, Penobscot, Piscataquis, Somerset,
Washington, York

Attulus floricola (C. L. Koch, 1837)

Aroostook, Cumberland, Franklin, Hancock, Kennebec, Oxford, Penobscot, Piscataquis, Somerset, Waldo,
Washington, York

Attulus striatus (Emerton, 1911)

Hancock, Oxford, Penobscot, Washington (Emerton 1911)

Attulus sylvestris (Emerton, 1891)

Androscoggin, York

Genus *Dendryphantes* C. L. Koch, 1837

Dendryphantes nigromaculatus (Keyserling, 1885)

Piscataquis (Kaston 1973)

Genus *Eris* C. L. Koch, 1846

Eris militaris (Hentz, 1845)

All Counties

Eris rufa (C. L. Koch, 1846)

Cumberland

Genus *Euophrys* C. L. Koch, 1834

Euophrys monadnock Emerton, 1891

Hancock, Lincoln, Somerset, Washington, York (Bryant 1908)

Genus *Evarcha* Simon, 1902

Evarcha hoyi (Peckham & Peckham, 1883)

Androscoggin, Aroostook, Franklin, Hancock, Kennebec, Knox, Lincoln, Oxford, Penobscot, Piscataquis,
Sagadahoc, Somerset, Waldo, Washington, York

Genus *Ghelna* Maddison, 1996

Ghelna canadensis (Banks, 1897)

Cumberland, Hancock, Kennebec, Oxford, Penobscot, Waldo, Washington

Genus *Habronattus* F. O. Pickard-Cambridge, 1901

Habronattus agilis (Banks, 1893)

Sagadahoc

- Habronattus borealis* (Banks, 1895)
 Cumberland, Hancock, Knox, Penobscot, Sagadahoc, Waldo, Washington, York (Griswold 1987)
- Habronattus calcaratus* (Banks, 1904)
 Hancock, Washington, York (Griswold 1987)
- Habronattus decorus* (Blackwall, 1846)
 Aroostook, Hancock, Kennebec, Lincoln, Penobscot, Sagadahoc, Waldo, Washington, York (Procter 1933)
- Habronattus viridipes* (Hentz, 1846)
 Hancock, Somerset, Washington, York
- Habronattus waughi* (Emerton, 1926)
 Washington
 Genus *Hentzia* Marx, 1883
- Hentzia mitrata* (Hentz, 1846)
 Androscoggin, Penobscot, York
- Hentzia palmarum* (Hentz, 1832)
 Penobscot, Washington
 Genus *Hypositticus* Lohmander, 1944
- Hypositticus pubescens* (Fabricius, 1775)
 Cumberland, Kennebec, Penobscot, Washington, York
 Genus *Maevia* C. L. Koch, 1846
- Maevia inclemens* (Walckenaer, 1837)
 Androscoggin, Cumberland, Kennebec, Oxford, Sagadahoc, York
 Genus *Marpissa* C. L. Koch, 1846
- Marpissa formosa* (Banks, 1892)
 Specific locality not given (Peckham & Peckham 1909)
- Marpissa grata* (Gertsch, 1936)
 Piscataquis, Washington
- Marpissa lineata* (C. L. Koch, 1846)
 York
 Genus *Naphrys* Edwards, 2003
- Naphrys pulex* (Hentz, 1846)
 Androscoggin, Aroostook, Cumberland, Franklin, Hancock, Kennebec, Lincoln, Oxford, Penobscot, Sagadahoc, Waldo, Washington, York
 Genus *Neon* Simon, 1876
- Neon nelli* Peckham & Peckham, 1888
 Androscoggin, Aroostook, Cumberland, Hancock, Knox, Lincoln, Oxford, Penobscot, Piscataquis, Somerset, Washington, York (Gertsch & Ivie 1955; Bryant 1908)
 Genus *Peckhamia* Simon, 1900
- Peckhamia picata* (Hentz, 1846)
 Washington, York
 Genus *Pelegrina* Franganillo, 1930
- Pelegrina exigua* (Banks, 1892)
 Specific locality not given (Richman & Cutler 1978)
- Pelegrina flaviceps* (Kaston, 1973)
 Androscoggin, Aroostook, Cumberland, Franklin, Hancock, Kennebec, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset, Waldo, Washington, York
- Pelegrina flavipes* (Peckham & Peckham, 1888)
 Androscoggin, Aroostook, Cumberland, Franklin, Hancock, Knox, Penobscot, Piscataquis, Sagadahoc, Somerset, Waldo, Washington, York
- Pelegrina galathea* (Walckenaer, 1837)
 Hancock, Lincoln, Sagadahoc, Washington, York (Procter 1908)
- Pelegrina insignis* (Banks, 1892)
 Androscoggin, Cumberland, Hancock, Kennebec, Lincoln, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset, Waldo, Washington, York (Maddison 1996)

- Pelegrina montana* (Emerton, 1891)
 Hancock, Knox (Bishop 1923)
- Pelegrina peckhamorum* (Kaston, 1973)
 Androscoggin, Cumberland, Hancock, Knox, Oxford, Penobscot, Somerset, York
- Pelegrina proterva* (Walckenaer, 1837)
 Androscoggin, Cumberland, Franklin, Hancock, Kennebec, Knox, Lincoln, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset, Waldo, Washington, York
 Genus *Pellenes* Simon, 1876
- Pellenes lapponicus* (Sundevall, 1833)
 Penobscot, Piscataquis
 Genus *Phidippus* C. L. Koch, 1846
- Phidippus audax* (Hentz, 1845)
 Androscoggin, Cumberland, Penobscot, York
- Phidippus borealis* Banks, 1895
 Penobscot, Piscataquis, Somerset
- Phidippus clarus* Keyserling, 1885
 Androscoggin, Cumberland, Hancock, Kennebec, Knox, Lincoln, Penobscot, Sagadahoc, Somerset, Washington, York
- Phidippus princeps* (Peckham & Peckham, 1883)
 Androscoggin, Cumberland, Hancock, Kennebec, Lincoln, Penobscot, Waldo, Washington, York
- Phidippus purpuratus* Keyserling, 1885
 Androscoggin, Hancock, Kennebec, Knox, Penobscot, Somerset, Washington, York (Bishop 1923)
- Phidippus whitmani* Peckham & Peckham, 1909
 Aroostook, Cumberland, Hancock, Lincoln, Penobscot, Somerset, Washington, York (Procter 1946)
 Genus *Phlegra* Simon, 1876
- Phlegra hentzi* (Marx, 1890)
 Hancock
 Genus *Platycryptus* Hill, 1979
- Platycryptus undatus* (De Geer, 1778)
 York
 Genus *Salticus* Latreille, 1804
- **Salticus scenicus* (Clerck, 1757)
 Aroostook, Cumberland, Franklin, Hancock, Kennebec, Knox, Lincoln, Penobscot, Waldo, Washington, York (Bryant 1908)
 Genus *Sarinda* Peckham & Peckham, 1892
- Sarinda hentzi* (Banks, 1913)
 Washington
 Genus *Sibianor* Logunov, 2001
- Sibianor aemulus* (Gertsch, 1934)
 Washington
 Genus *Sitticus* Simon, 1901
- **Sitticus fasciger* (Simon, 1880)
 Cumberland, Kennebec, Penobscot, Waldo
- Sitticus finschi* (L. Koch, 1879)
 Hancock, Penobscot, Piscataquis
 Genus *Synageles* Simon, 1876
- Synageles canadensis* Cutler, 1988
 Washington
- Synageles noxiousus* (Hentz, 1850)
 Cumberland, Washington
 Genus *Talavera* Peckham & Peckham, 1909
- Talavera minuta* (Banks, 1895)
 Androscoggin, Hancock, Lincoln, Sagadahoc, Waldo, Washington, York
 Genus *Terralonus* Maddison, 1996
- Terralonus versicolor* (Peckham & Peckham, 1909)
 Specific locality not given (Peckham & Peckham 1909)

Genus *Tutelina* Simon, 1901

- Tutelina elegans* (Hentz, 1846)
 Hancock(Procter 1946)
Tutelina formicaria (Emerton, 1891)
 Hancock(Procter 1946)
Tutelina harti (Emerton, 1891)
 Androscoggin, Cumberland, Penobscot, Washington
Tutelina similis (Banks, 1895)
 Androscoggin, Aroostook, Franklin, Hancock, Penobscot, Washington, York
 Genus *Zygodallus* Peckham & Peckham, 1885
Zygodallus nervosus (Peckham & Peckham, 1888)
 Specific locality not given (Peckham & Peckham 1909)
Zygodallus rufipes Peckham & Peckham, 1885
 York

**FAMILY SCYTODIDAE

- **Genus *Scytodes* Latreille, 1804
 ***Scytodes thoracica* (Latreille, 1802)

FAMILY SEGESTRIIDAE

- Genus *Ariadna* Audouin, 1826
Ariadna bicolor (Hentz, 1842)
 Knox, Lincoln (Beatty 1970; Bryant 1908)

**FAMILY SICARIIDAE

- **Genus *Loxosceles* Heineken & Lowe, 1835
 ***Loxosceles reclusa* Gertsch & Mulaik, 1940

FAMILY SPARASSIDAE

- Genus *Heteropoda* Latreille, 1804
**Heteropoda venatoria* (Linnaeus, 1767)
 Cumberland

FAMILY TETRAGNATHIDAE

- Genus *Leucauge* White, 1841
Leucauge venusta (Walckenaer, 1841)
 Washington
 Genus *Meta* C. L. Koch, 1836
Meta ovalis (Gertsch, 1933)
 Hancock, Oxford, Knox, Lincoln, Piscataquis, Somerset, Waldo, Washington, York (Bishop 1923;
 Bryant 1908)
 Genus *Pachynathia* Sundevall, 1823
Pachynathia autumnalis Marx, 1884
 Hancock, Lincoln, Penobscot, Washington (Procter 1938)
Pachynathia brevis Keyserling, 1884
 Aroostook, Cumberland, Hancock, Knox, Oxford, Penobscot, Piscataquis, Waldo, Washington, York
 (Bishop 1923)
Pachynathia dorothea McCook, 1894
 Cumberland, Hancock, Washington, York
Pachynathia tristriata C. L. Koch, 1845
 Penobscot, Washington, York
Pachynathia xanthostoma C. L. Koch, 1845
 Hancock, Washington (Procter 1946)

- Genus *Tetragnatha* Latreille, 1804
- Tetragnatha caudata* Emerton, 1884
Lincoln, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset, Waldo, Washington, York
- Tetragnatha dearmata* Thorell, 1873
Aroostook, Penobscot, Piscataquis
- Tetragnatha elongata* Walckenaer, 1841
Aroostook, Cumberland, Hancock, Knox, Penobscot, Piscataquis, Washington, York (Bryant 1908)
- Tetragnatha extensa* (Linnaeus, 1758)
Aroostook, Franklin, Hancock, Knox, Penobscot, Piscataquis, Somerset, Washington, York (Bishop 1923)
- Tetragnatha guatemalensis* O. Pickard-Cambridge, 1889
Washington
- Tetragnatha laboriosa* Hentz, 1850
Aroostook, Cumberland, Franklin, Hancock, Kennebec, Knox, Lincoln, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset, Waldo, Washington, York
- Tetragnatha pallescens* F. O. Pickard-Cambridge, 1903
Cumberland, Penobscot
- Tetragnatha straminea* Emerton, 1884
Cumberland, Hancock, Kennebec, Penobscot, Piscataquis, Somerset, Washington, York (Bryant 1908)
- Tetragnatha vermicularis* Emerton, 1884
Aroostook
- Tetragnatha versicolor* Walckenaer, 1841
Androscoggin, Aroostook, Franklin, Hancock, Kennebec, Knox, Oxford, Penobscot, Piscataquis, Somerset, Waldo, Washington, York
- Tetragnatha viridis* Walckenaer, 1841
Hancock, Penobscot, Washington
- **FAMILY THERAPHOSIDAE
- **Genus *Grammostola* Simon, 1892
- ***Grammostola pulchra* Mello-Leitão, 1921
- ***Grammostola pulchripes* (Simon, 1891)
- ***Grammostola rosea* (Walckenaer, 1837)

FAMILY THERIDIIDAE

- Genus *Asagena* Sundevall, 1833
- Asagena americana* Emerton, 1882
Cumberland, Hancock, Knox, Lincoln, Penobscot, Washington (Bryant 1908)
- Genus *Canalidion* Wunderlich, 2008
- Canalidion montanum* (Emerton, 1882)
Aroostook, Cumberland, Franklin, Hancock, Knox, Penobscot, Piscataquis, Somerset, Waldo, Washington (Emerton 1914)
- Genus *Coleosoma* O. Pickard-Cambridge, 1882
- Coleosoma floridanum* Banks, 1900
Lincoln (Levi & Randolph 1975)
- Genus *Crustulina* Menge, 1868
- Crustulina altera* Gertsch & Archer, 1942
Hancock (Procter 1933)
- Crustulina sticta* (O. Pickard-Cambridge, 1861)
Aroostook, Cumberland, Hancock, Waldo, Washington, York (Levi 1957; Procter 1946)
- Genus *Cryptachaea* Archer, 1946
- Cryptachaea rupicola* (Emerton, 1882)
Androscoggin, Cumberland, Hancock (Bryant 1908)
- Genus *Dipoena* Thorell, 1869
- Dipoena buccalis* Keyserling, 1886
Androscoggin

- Dipoena dorsata* Muma, 1944
 Knox, York
- Dipoena nigra* (Emerton, 1882)
 Androscoggin, Aroostook, Cumberland, Hancock, Kennebec, Knox, Oxford, Penobscot, Piscataquis, Washington, York
 Genus *Enoplognatha* Pavesi, 1880
- Enoplognatha caricis* (Fickert, 1876)
 Aroostook, Hancock Washington (Procter 1933)
- Enoplognatha intrepida* (Sørensen, 1898)
 Aroostook, Penobscot, Washington
- Enoplognatha latimana* Hippa & Oksala, 1982
 Penobscot, Somerset, Washington
- Enoplognatha marmorata* (Hentz, 1850)
 Aroostook, Cumberland, Franklin, Hancock, Penobscot, Waldo, Washington (Bryant 1908)
- **Enoplognatha ovata* (Clerck, 1757)
 All Counties
 Genus *Euryopis* Menge, 1868
- Euryopis argentea* Emerton, 1882
 Aroostook, Hancock, Lincoln, Penobscot, Washington, York
- Euryopis funebris* (Hentz, 1850)
 Aroostook, Cumberland, Hancock, Oxford, Penobscot, Somerset, Washington, York
- Euryopis gertschi* Levi, 1951
 York
- Euryopis saukea* Levi, 1951
 Washington, York
 Genus *Hentziectypus* Archer, 1946
- Hentziectypus conjunctus* (Gertsch & Mulaik, 1936)
 Penobscot
- Hentziectypus globosus* (Hentz, 1850)
 Cumberland, Hancock, Penobscot, Washington, York (Bryant 1908)
 Genus *Lasaeola* Simon, 1881
- Lasaeola prona* (Menge, 1868)
 York
 Genus *Latrodectus* Walckenaer, 1805
- ***Latrodectus geometricus* C. L. Koch, 1841
- ***Latrodectus hesperus* Chamberlin & Ivie, 1935
- ***Latrodectus mactans* (Fabricius, 1775)
 Genus *Neospintharus* Exline, 1950
- Neospintharus trigonum* (Hentz, 1850)
 Cumberland, Franklin, Hancock, Kennebec, Knox, Oxford, Penobscot, Piscataquis, Sagadahoc, Waldo, Washington, York
 Genus *Neottiura* Menge, 1868
- Neottiura bimaculata* (Linnaeus, 1767)
 Androscoggin, Aroostook, Hancock, Kennebec, Knox, Penobscot, Piscataquis, Somerset, Washington
 Genus *Parasteatoda* Archer, 1946
- **Parasteatoda tabulata* (Levi, 1980)
 Androscoggin, Cumberland, Franklin, Hancock, Kennebec, Knox, Oxford, Penobscot, Piscataquis, Somerset, Waldo, Washington, York
- **Parasteatoda tepidariorum* (C. L. Koch, 1841)
 Androscoggin, Cumberland, Franklin, Hancock, Kennebec, Knox, Lincoln, Penobscot, Piscataquis, Sagadahoc, Waldo, Washington, York
 Genus *Pholcomma* Emerton, 1882
- Pholcomma hirsutum* (Emerton, 1882)
 Androscoggin

- Genus *Phoroncidia* Westwood, 1835
- Phoroncidia americana* (Emerton, 1882)
Penobscot, Washington, York
Genus *Platnickina* Koçak & Kemal, 2008
- Platnickina alabamensis* (Gertsch & Archer, 1942)
Washington
Platnickina punctosparsa (Emerton 1882)
Cumberland (Bryant 1908)
- Platnickina tincta* (Walckenaer, 1802)
Androscoggin, Hancock, Knox
Genus *Rhomphaea* L. Koch, 1872
- Rhomphaea fictilium* (Hentz, 1850)
Cumberland, Hancock, Penobscot, Waldo (Exline & Levi 1962; Procter 1933)
Genus *Robertus* O. Pickard-Cambridge, 1879
- Robertus banksi* (Kaston, 1946)
Hancock, Knox, Washington
- Robertus borealis* (Kaston, 1946)
Aroostook, Hancock, Penobscot, Piscataquis, Washington (Kaston 1946)
- Robertus fuscus* (Emerton, 1894)
Aroostook, Hancock, Piscataquis, Washington (Kaston 1946)
- Robertus pumilus* (Emerton, 1909)
Cumberland, Hancock, Oxford, York
- Robertus riparius* (Keyserling, 1886)
Aroostook, Hancock, Knox, Penobscot, Piscataquis, Somerset, Washington, York
- Robertus spinifer* (Emerton, 1909)
Androscoggin, Penobscot, Washington, York
Genus *Rugathodes* Archer, 1950
- Rugathodes aurantius* (Emerton, 1915)
Aroostook, Cumberland, Hancock, Penobscot, Piscataquis, Washington (Emerton 1915; Procter 1933)
- Rugathodes sexpunctatus* (Emerton, 1888)
Aroostook, Franklin, Hancock, Lincoln, Penobscot, Piscataquis, Sagadahoc, Washington (Bryant 1908)
Genus *Steatoda* Sundevall, 1833
- **Steatoda bipunctata* (Linnaeus, 1758)
Aroostook, Cumberland, Franklin, Hancock, Kennebec, Lincoln, Oxford, Penobscot, Piscataquis,
Sagadahoc, Somerset, Waldo, Washington, York
- Steatoda borealis* (Hentz, 1850)
Aroostook, Cumberland, Franklin, Hancock, Kennebec, Knox Lincoln, Oxford, Penobscot, Piscataquis,
Somerset, Washington, York (Bishop 1923)
- ***Steatoda triangulosa* (Walckenaer, 1802)
Genus *Theonoe* Simon, 1881
- Theonoe stridula* Crosby, 1906
Hancock, Piscataquis
Genus *Theridion* Walckenaer, 1805
- Theridion albidum* Banks, 1895
Androscoggin, Penobscot, Washington, York (Levi 1957)
- Theridion differens* Emerton, 1882
All Counties
- Theridion frondeum* Hentz, 1850
Androscoggin, Aroostook, Franklin, Hancock, Kennebec, Knox, Oxford, Penobscot, Piscataquis,
Sagadahoc, Somerset, Waldo, Washington, York
- Theridion glaucescens* Becker, 1879
Androscoggin, Aroostook, Cumberland, Kennebec, Lincoln, Penobscot, Washington (Bryant 1908)
- Theridion hemerobium* Simon, 1914
Oxford, Waldo

Theridion murarium Emerton, 1882

Androscoggin, Aroostook, Cumberland, Franklin, Hancock, Kennebec, Knox, Lincoln, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset, Washington, York

Theridion petraeum L. Koch, 1872

Hancock (Emerton 1913)

Theridion pictum (Walckenaer, 1802)

Aroostook, Cumberland, Franklin, Hancock, Knox, Lincoln, Penobscot, Piscataquis, Somerset, Waldo, Washington (Emerton 1914; Bryant 1908; Levi 1957)

**Theridion varians* Hahn, 1833

Hancock, Penobscot

Genus *Theridula* Emerton, 1882

Theridula emertoni Levi, 1954

Aroostook, Hancock, Kennebec, Knox, Oxford, Penobscot, Piscataquis, Washington, York

Theridula opulenta (Walckenaer, 1841)

Hancock (Procter 1933)

Genus *Thymoites* Keyserling, 1884

Thymoites minnesota Levi, 1964

Specific locality not given (Dondale 1997)

Thymoites unimaculatus (Emerton, 1882)

Androscoggin, Cumberland, Hancock, Kennebec, Knox, Lincoln, Oxford, Penobscot, Sagadahoc, Waldo, Washington, York (Levi 1957)

Genus *Wamba* O. Pickard-Cambridge, 1896

Wamba crispulus (Simon, 1895)

Androscoggin, Hancock, Knox, Lincoln, Penobscot, Washington, York (Levi 1957)

Genus *Yunohamella* Yoshida, 2007

Yunohamella lyrica (Walckenaer, 1841)

Androscoggin, Aroostook, Cumberland, Hancock, Kennebec, Knox, Oxford, Penobscot, Sagadahoc, Washington, York

FAMILY THERIDIOSOMATIDAE

Genus *Theridiosoma* O. Pickard-Cambridge, 1879

Theridiosoma gemmosum (L. Koch, 1877)

Hancock, Lincoln, Oxford, Penobscot, Piscataquis, Sagadahoc, Washington, York (Coddington 1986)

FAMILY THOMISIDAE

Genus *Bassaniana* Strand, 1928

Bassaniana utahensis (Gertsch, 1932)

Androscoggin, Aroostook, Cumberland, Franklin, Hancock, Kennebec, Knox, Oxford, Penobscot, Sagadahoc, Somerset, Waldo, Washington, York

Bassaniana versicolor (Keyserling, 1880)

Cumberland, Hancock, Lincoln, Penobscot, Sagadahoc, Waldo, York (Bryant 1908; Procter 1938; Gertsch 1953)

Genus *Mecaphesa* Simon, 1900

Mecaphesa asperata (Hentz, 1847)

Hancock, Kennebec, Penobscot, Piscataquis, Waldo, Washington, York (Procter 1933; Blake 1927)

Mecaphesa carletonica (Dondale & Redner, 1976)

Washington, York

Mecaphesa celer (Hentz, 1847)

Kennebec

Genus *Misumena* Latreille, 1804

Misumena vatia (Clerck, 1757)

All Counties

- Genus *Misumenoides* F. O. Pickard—Cambridge, 1900
- Misumenoides formosipes* (Walckenaer, 1837)
Androscoggin, Cumberland, Hancock, York (Procter 1933)
- Genus *Ozyptila* Simon, 1864
- Ozyptila americana* Banks, 1895
Hancock, Penobscot (Procter 1946)
- Ozyptila distans* Dondale & Redner, 1975
Aroostook, Franklin, Hancock, Lincoln, Penobscot, Piscataquis, Sagadahoc, Somerset, Washington, York
- Ozyptila georgiana* Keyserling, 1880
Penobscot
- Ozyptila gertschi* Kurata, 1944
Aroostook, Penobscot, Piscataquis
- Ozyptila praticola* (C. L. Koch, 1837)
Cumberland, Hancock
Genus *Tmarus* Simon, 1875
- Tmarus angulatus* (Walckenaer, 1837)
Cumberland, Hancock, Kennebec, Knox, Oxford, Penobscot, Waldo, Washington, York
Genus *Xysticus* C. L. Koch, 1835
- Xysticus alboniger* Turnbull, Dondale & Redner, 1965
Hancock, Penobscot, Piscataquis, Sagadahoc, Waldo, Washington, York
- Xysticus ampullatus* Turnbull, Dondale & Redner, 1965
Hancock, Lincoln, Penobscot, Washington, York
- Xysticus bicuspis* Keyserling, 1887
Cumberland Bryant (1908)
- Xysticus britcheri* Gertsch, 1934
Penobscot, Piscataquis
- Xysticus canadensis* Gertsch, 1934
Hancock, Piscataquis
- Xysticus chippewa* Gertsch, 1953
Kennebec, Penobscot, Piscataquis, Washington
- Xysticus discursans* Keyserling, 1880
Aroostook, Cumberland, Penobscot, Piscataquis, Sagadahoc, Somerset, Waldo, Washington (Bryant 1930)
- Xysticus elegans* Keyserling, 1880
Androscoggin, Aroostook, Cumberland, Franklin, Hancock, Kennebec, Lincoln, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset, Washington, York
- Xysticus ellipticus* Turnbull, Dondale & Redner, 1965
Penobscot, Somerset, Washington
- Xysticus emertoni* Keyserling, 1880
Aroostook, Cumberland, Franklin, Hancock, Kennebec, Lincoln, Penobscot, Piscataquis, Sagadahoc, Somerset, Washington, York (Bryant 1908)
- Xysticus ferox* (Hentz, 1847)
Androscoggin, Aroostook, Cumberland, Hancock, Kennebec, Lincoln, Penobscot, Sagadahoc, Somerset, Waldo, Washington, York
- Xysticus fervidus* Gertsch, 1953
Washington
- Xysticus fraternus* Banks, 1895
Androscoggin, Cumberland, York
- Xysticus gulosus* Keyserling, 1880
Cumberland, Hancock, York (Bryant 1908; Procter 1933)
- Xysticus luctans* (C. L. Koch, 1845)
Cumberland, Hancock, Kennebec, Lincoln, Penobscot, Waldo, Washington, York (Bryant 1908; Procter 1933)
- Xysticus luctuosus* (Blackwall, 1836)
Aroostook, Piscataquis, Washington

Xysticus obscurus Collett, 1877

Piscataquis

Xysticus pellax O. Pickard—Cambridge, 1894

Cumberland, Hancock, Lincoln, Penobscot, Washington, York (Gertsch 1939; Procter 1946)

Xysticus punctatus Keyserling, 1880

Androscoggin, Aroostook, Cumberland, Hancock, Kennebec, Knox, Oxford, Penobscot, Piscataquis, Somerset, Washington, York

Xysticus triguttatus Keyserling, 1880

Androscoggin, Aroostook, Hancock, Knox, Lincoln, Penobscot, Sagadahoc, Washington, York

Xysticus winnipegensis Turnbull, Dondale & Redner, 1965

Penobscot, Somerset, Washington, York

FAMILY TITANOECIDAE

Genus *Titanoeca* Thorell, 1870

Titanoeca americana Emerton, 1888

Hancock, Washington, York (Procter 1933)

FAMILY TRACHELIDAE

Genus *Trachelas* L. Koch, 1872

Trachelas tranquillus (Hentz, 1847)

Specific locality not given (Dondale & Redner 1982)

FAMILY ULOBORIDAE

Genus *Hyptiotes* Walckenaer, 1837

Hyptiotes cavatus (Hentz, 1847)

Cumberland, Hancock, Kennebec (Hentz 1875; Procter 1933)

Hyptiotes gertschi Chamberlin & Ivie, 1935

Washington

Genus *Uloborus* Latreille, 1806

Uloborus glomosus (Walckenaer, 1841)

Androscoggin, Knox, Oxford, Washington

The following are a few of the species are thought to occur in Maine but no specimens or published reference were found for them.

FAMILY LINYPHIIDAE

Acanthoneta furcata (Emerton, 1913)

Quite likely to occur in Maine, probably at high elevation; found in NH, QC, VT, and Newfoundland.

Tapinocyba prima Dupérré & Paquin, 2005

Quite likely to occur in Maine, probably at high elevation or in boreal forest.

FAMILY MYSMENIDAE

Mysmena quebecana Lopardo & Dupérré, 2008

Possibly in Maine as it is found in QC close to the VT border.

FAMILY SALTICIDAE

Synemosyna formica Hentz, 1846

Possibly in Maine as it is fairly common in CT.

FAMILY THERIDIIDAE

Latrodectus variolus Walckenaer, 1837

Possibly in Maine as it is fairly common in New England including NH and VT as well as ON. *Thymoites marxi* (Crosby, 1906)

Possible northern range extension.

FAMILY THOMISIDAE

Misumessus oblongus (Keyserling, 1880)

Possibly in Maine as it is fairly common in MA.

Discussion

This checklist includes the names of 677 species of spiders found in Maine. These species are in 250 genera and 33 families. Species richness per family ranges widely, with the Linyphiidae first (228), the Salticidae second (58) and the Theridiidae third (57). Twelve families are represented by a single species. Assessment of the actual fauna will require additional sampling, both spatially and temporally, in diverse habitats and strata.

By comparison, Kaston (1981) estimated that the spider fauna of Connecticut comprised 478 species of 30 families. He also estimated that the spider fauna “In all New England” comprised 683 species of 31 families. Our estimate for Maine alone comes close to Kaston’s estimate for all of New England suggesting that Maine’s varied habitats hold a wide variety of spider fauna rivaling that of the nearby states. Maine also lies further north so that more of the northerly species may be found in Maine than in other states. Although a large proportion of specimens used in this project were collected from softwoods and blueberry barrens, a wide variety of habitats were sampled at some level. We suggest that future spider inventories of Maine focus on the state’s unique, natural features as summarized by Bennett (1989).

Not surprisingly, the foraging guild composition of the Maine fauna is skewed in favor of web spinners, largely due to linyphiid richness. This is in line with spider faunal lists from Quebec (Paquin et al 2001), Newfoundland (Pickavance and Dondale 2005) and Prince Edward Island (Bowden et al 2019). The salticids are the most species rich family of spiders in the world. Therefore, it is not surprising that it is the family with the second most species in Maine.

Specimen Deposits

The spiders collected in Maine by the authors and their associates are deposited in the permanent arachnid collections of the following institutions: The American Museum of Natural History, New York, NY (AMNH); the Museum of Comparative Zoology (MCZ), Harvard University, Cambridge, MA; and, the Canadian National Collection (CNC) of Insects and Arachnids, Biosystematics Research Centre, Ottawa, ON. In addition, a few specimens collected during the 2007 Bioblitz at Schoodic Peninsula, Acadia National Park are deposited at the Park Headquarters, Mount Desert Island, ME.

The specimen deposits include three categories of determination: a) identified to species; b) identified to genus; and c) identified to family—genus and species unknown. Specimens of the latter two categories have been sent to specialists for further study. For example, undetermined species of *Agyneta* have been sent to P. J. van Helsdingen, The Netherlands; undetermined species of *Lophomma* and other erigonids to M. J. Draney, University of Wisconsin, Green Bay, WI; undetermined linyphiids to C. D. Dondale and J. H. Redner, (CNC); and undetermined theridiids to H. W. Levi, formerly at the Museum of Comparative Zoology, Harvard University, Cambridge, MA. The Maine Department of Agriculture, Conservation and Forestry: Maine Forest Service: Forest Health and Monitoring Division, holds a database of information on the majority of spiders identified by (or for) the first author.

Acknowledgments

In 2006, the authors of this document along with Jonathan Mays, then of Maine Department of Inland Fisheries and Wildlife, met to discuss creating a Checklist of Maine Spiders based on a portion of the life’s work of Dr. Daniel Jennings. The Maine Forest Service and Maine Department of Inland Fisheries and Wildlife worked together to provide technical support to finish cataloging the more than 60,000 specimens collected for this project, freeing up Dr. Jennings to do the highly technical taxonomic work of identifying the thousands of spider samples. Maine Forest Service personnel provided years of assistance in collecting, labelling, and databasing specimens. Former students, both undergraduate and graduate, and experiment station colleagues also provided specimens and support. We are grateful to James E. Bird and Melvin W. Johnson of Fogler Library, University of Maine, Orono, for providing literature search and retrieval services. Thank you to Robb Bennett, Royal British Columbia Museum, for help in editing. We owe a special debt of appreciation to our families for their interest, patience, and support.

References

- Archer, A. F. (1951) Studies in the orbweaving spiders (Argiopidae). 2. American Museum Novitates 1502: 1-34.
- Beatty J.A. 1970. The spider genus *Ariadna* in the Americas (Araneae, Dysderidae). Bulletin of the Museum of Comparative Zoology 139(8): 433–518.
- Bennett, D. B. 1989. Maine's Natural Heritage: Rare and Unique Natural Features. Down East Books, Rockport Maine.
- Bishop, S. C. 1923. A list of spiders taken on Isle-au-Haut, July to October, 1922, together with a description of a new species. In: A scientific survey of Turners Lake, Isle-au-Haut, Maine. New York: New York State Museum Bulletin 251: 21-22, 26-27.
- Bishop, S. C. (1924). A revision of the Pisauridae of the United States. New York State Museum Bulletin 252: 1-140.
- Bishop, S. C. and C. R. Crosby. 1932. Studies in American Spiders: The Genus Grammonota Journal of the New York Entomological Society 40 (4): 393-421.
- Bishop, S. C. and Crosby, C. R. 1935. Studies in American spiders: miscellaneous genera of Erigoneae, part I. Journal of the New York Entomological Society 43 (2): 217-241, 43 (3): 255-281.
- Bishop, S. C.; Crosby, C. R. 1938. Studies in American spiders: miscellaneous genera of Erigoneae, part II. Journal of the New York Entomological Society 46 (1): 55-107 + plates 2-7.
- Blake, I. H. 1927 [1926]. A comparison of the animal communities of coniferous and deciduous forests. Illinois Biological Monographs 10 (4): 365-512 [reprint: 1-148], plates I-XVI.
- Bowden, J., Knysh, K., Blagoev, G., Bennett, R., Arsenault, M., Harding, C., Harding, R., Curley, R., 2019. The spiders of Prince Edward Island: experts and citizen scientists collaborate for faunistics. The Canadian Field-Naturalist. 132: 330-350.
- Bryant, E. B. 1908. List of the Araneida. In: Fauna of New England, 9. Occasional Papers of the Boston Society of Natural History. 7: 1–105.
- Buckle, D. J., Carroll, D.; Crawford, R. L. and Roth, V. D. 2001. Linyphiidae and Pimoidae of America north of Mexico: Checklist, synonymy, and literature. In Contributions à la Connaissance des Araignées (Araneae) d'Amérique du Nord. Paquin, P.; Buckle, D. (eds.). Fabreries Supplement 10: 89-191.
- Chamberlin, R. V. 1923. The North American species of *Mimetus*. Journal of Entomology and Zoology 15: 3-9.
- Chamberlin, R. V. 1925. Notes on North American spiders heretofore referred to *Coelotes*. Proceedings of the Biological Society of Washington 38: 119-124.
- Chamberlin, R. V. and Gertsch, W. J. 1958. The spider family Dictynidae in America north of Mexico. Bulletin of the American Museum of Natural History. 116 (1): 1–152 + plates 1–47.
- Chamberlin, R. V. and Ivie, W. 1941. North American Agelenidae of the genera *Agelenopsis*, *Calilena*, *Ritalena*, and *Tortolena*. Annals of the Entomological Society of America. 34 (3): 585–628.
- Coddington, J. A. 1986. The genera of the spider family Theridiosomatidae. Smithsonian Contributions to Zoology 422: 1-96.
- Crosby, C. R. and Bishop, S. C. 1928. Class Arachnida, Order Araneae. In Leonard, M. D., ed. A list of the insects of New York, with a list of the spiders and certain other allied groups. Cornell University Agricultural Experiment Station, Memoirs. 101: 1034–1074.
- Crosby, C. R. and Bishop, S. C. 1933. American spiders: Erigoneae, males with cephalic pits. Annals of the Entomological Society of America 26 (1): 105–182.
- Crosby, C. R. and Zorsch, H. M. 1935. Spiders from the Lac St. Jean region of Quebec. The Canadian Entomologist 67: 38-42.
- Dondale, C. D. 1959. Definition of the genus *Grammonota* (Araneae: Erigonidae), with description of seven new species. Canadian Entomologist 91 (4): 232-242.

- Dondale, C. D. and Redner, J. H. 1968. The *imbecillus* and *rufus* groups of the spider genus *Philodromus* in North America. Memoirs of the Entomological Society of Canada 55: 1-78.
- Dondale, C. D. & Redner, J. H. 1982. The Sac Spiders of Canada and Alaska (Araneae: Clubionidae and Anyphaenidae). The Insects and Arachnids of Canada, part 9. Agriculture Canada, Ottawa, Publication 1724.
- Dondale, C.D., Redner, J.H. and Marusik, Y.M. 1997. Spiders (Araneae) of the Yukon. pp. 73-113 in H.V. Danks and J.A. Downes (Eds.), *Insects of the Yukon*. Biological Survey of Canada (Terrestrial Arthropods), Ottawa. 1034 pp.
- Dondale, C. D., Turnbull, A. L. and Redner; J. H. 1964. Revision of the Nearctic species of *Thanatus* C. L. Koch (Araneae: Thomisidae). The Canadian Entomologist 96: (4) 636-656.
- Edwards, R. J. 1958. The spider subfamily Clubioninae of the United States, Canada and Alaska. Bulletin of the Museum of Comparative Zoology. 118(6): 363-436.
- Emerton, J. H. 1884. New England spiders of the family Epeiridae. Transactions of the Connecticut Academy of Arts and Sciences 6: 295-342 + plates 33-40.
- Emerton, J. H. 1888. New England spiders of the family Ciniflonidae. Transactions of the Connecticut Academy of Arts and Sciences 7: 443-458.
- Emerton, J. H. 1909. Supplement to the New England spiders. Transactions of the Connecticut Academy of Arts and Sciences 14: 171-236 + plates I-XII.
- Emerton, J. H. 1911. New spiders from New England. Transactions of the Connecticut Academy of Arts and Sciences. 16(4): 383-407 + plates I-VI.
- Emerton, J. H. 1912. Four burrowing *Lycosa* (*Geolycosa* Montg. *Scaptocosa* Banks) including one new species. Psyche. 19: 25-36 + plate IV.
- Emerton, J. H. 1913. New England spiders identified since 1910. Transactions of the Connecticut Academy of Arts and Sciences. 18(3): 209-224 + plates I-II.
- Emerton, J. H. 1914. Geographical distribution of spiders in New England. Appalachia. 13 (2): 143-159.
- Emerton, J. H. 1915. New spiders from New England, XI. Transactions of the Connecticut Academy of Arts and Sciences 20: 133-144 + plate I.
- Exline, H. and Levi, H. W. 1962. American spiders of the genus *Argyrodes* (Araneae: Theridiidae). Bulletin of the Museum of Comparative Zoology 127 (2): 75-204 + figs. 1-412.
- Gertsch, W. J. 1934. Some American spiders of the family Hahniidae. American Museum Novitates 712: 1-32.
- Gertsch, W. J. 1939. A revision of the typical crab spiders (Misumeninae) of America north of Mexico. Bulletin of the American Museum of Natural History 76: 277-442.
- Gertsch, W. J. 1941b. New American spiders of the family Clubionidae. II. American Museum Novitates 1148: 1-18.
- Gertsch, W. J. 1953. The spider genera *Xysticus*, *Coriarachne* and *Oxyptila* (Thomisidae, Misumeninae) in North America. Bulletin of the American Museum of Natural History 102: 415-482.
- Gertsch, W. J. 1955. The North American bolas spiders of the genera *Mastophora* and *Agatostichus*. Bulletin of the American Museum of Natural History. 106: 221-254.
- Gertsch, W. J.; Ivie, W. 1955. "The spider genus *Neon* in North America". American Museum Novitates. 1743: 1-17
- Griswold, C. E. 1987. A revision of the jumping spider genus *Habronattus* F. O. P.-Cambridge (Araneae; Salticidae), with phenetic and cladistic analyses. The University of California Publications in Entomology 107: 1-344.
- Hentz, N. M. 1875. The spiders of the United States. A collection of the Arachnological writings of N. M. Hentz, edited by Edward Burgess with notes and descriptions by James H. Emerton. Occasional M. Hentz, edited by Edward Burgess with notes and descriptions by James H. Emerton. Occasional Papers of the Boston Society of Natural History. vol. II. pp. 1-171.

- Jennings, D. T. and Graham, F. Jr. 2007. Spiders (Arachnida: Araneae) of Milbridge, Washington County, Maine. General Technical Report NRS-16. USDA Forest Service. pp. 204.
- Kaston, B. J. 1946. North American spiders of the genus *Ctenium*. American Museum Novitates 1306: 1-19.
- Kaston, B. J. 1973. Four new species of *Metaphidippus* with notes on related jumping spiders from the Eastern and Central United States. Transactions of the American Microscopical Society 92 (1): 106-122.
- Kaston, B. J. 1981. Spiders of Connecticut. Revised edition. Connecticut Geological and Natural History Survey Bulletin 70. 1020 p.
- Levi, H. W. 1957. The spider genera *Crustulina* and *Steatoda* in North America, Central America, and the West Indies (Araneae, Theridiidae). Bulletin of the Museum of Comparative Zoology 117: 367-424.
- Levi, H. W. 1973. Small orb-weavers of the genus *Araneus* north of Mexico (Araneae: Araneidae). Bulletin of the Museum of Comparative Zoology. 145 (9): 472-553.
- Levi, H. W. 1978. The American orb weaver genera *Colphepeira*, *Micrathena*, *Gasteracantha* north of Mexico (Araneae: Araneidae). Bulletin of the Museum of Comparative Zoology. 148 (9): 417-442.
- Levi, H. W. and Randolph, D. E. 1975. A key and checklist of American spiders of the family Theridiidae north of Mexico (Araneae). Journal of Arachnology. 3: 31-51.
- Maddison, W. P. 1996. *Pelegrina* Franganillo and other jumping spiders formerly placed in the genus *Metaphidippus* (Araneae: Salticidae). Bulletin of the Museum of Comparative Zoology 154: 215-368.
- Paquin, P., N. Dupérré, and R. Hutchinson. 2001. Liste revisée des Araignées (Araneae) du Québec. Pages 5-87 in Contributions à la connaissance des Araignées (Arachnida) d'Amérique du Nord. Edited by P. Paquin and D. J. Buckle. Fabreries, Supplement 10. Part 1.
- Peckham, G. W. and Peckham E. G. 1909. Revision of the Attidae of North America. Transactions of the Wisconsin Academy Sciences, Arts and Letters. 16 (1): 355-655.
- Pickavance, J. R. and Dondale, C. D. 2005. An annotated checklist of the spiders of Newfoundland. The Canadian Field Naturalist 119: 254-275,
- Platnick, N. I. and Shadab, M. U. 1975. A revision of the spider genus *Gnaphosa* (Araneae, Gnaphosidae) in America. Bulletin of the American Museum of Natural History 155: 1-66.
- Platnick, N. I. & Shadab, M. U. (1977a). A new genus of the spider subfamily Gnaphosinae from the Virgin Islands (Araneae, Gnaphosidae). Journal of Arachnology 3: 191-194.
- Platnick, N. I. and Shadab, M. U. 1983. A revision of the spider genus *Zelotes* (Araneae, Gnaphosidae) Bulletin of the American Museum of Natural History. 174: 97-192.
- Procter, W. 1933. Biological Survey of the Mount Desert Region, Incorporated. Part V. Marine Fauna. Philadelphia, PA: The Wistar Institute of Anatomy and Biology. pp. 402.
- Procter, W. 1938. Biological Survey of the Mount Desert Region, Incorporated. Part VI. Insect Fauna. Philadelphia, PA: The Wistar Institute of Anatomy and Biology. pp. 496.
- Procter, W. 1946. Biological Survey of the Mount Desert Region, Incorporated. Part VII. Insect Fauna. Philadelphia, PA: The Wistar Institute of Anatomy and Biology. pp. 506.
- Richman, D. B. and Cutler B. 1978. A list of the jumping spiders (Araneae: Salticidae) of the United States and Canada. Peckhamia 1: 82-110.
- Ubick, D., Paquin, P., Cushing, P. and Dupérré, N. 2017. Spiders of North America: An Identification Manual, Second Edition 2nd Edition. American Arachnological Society. pp.431.
- Wallace, H. K. and Exline, H. 1978. Spiders of the genus *Pirata* in North America, Central America and the West Indies (Araneae: Lycosidae). Journal of Arachnology 5: 1-112.
- World Spider Catalog (2020). World Spider Catalog. Version 21.0. Natural History Museum Bern, online at <http://wsc.nmbe.ch>, doi: 10.24436/2.

INDEX

A

<i>abboti</i>	7
<i>Acanthepeira</i>	5
<i>actuosa</i>	4
<i>aculeata</i>	23
<i>Aculepeira</i>	5
<i>Admestina</i>	28
<i>aemulus</i>	30
<i>aenea</i>	11
<i>aerialis</i>	4
AGELENIDAE	4
<i>Agelenopsis</i>	4
<i>agilis</i>	12, 28
<i>Agroeca</i>	23
<i>Agyneta</i>	12
<i>alabamensis</i>	34
<i>alarius</i>	27
<i>albidum</i>	34
<i>albomaculata</i>	23
<i>alboniger</i>	36
<i>alboventris</i>	5, 13
<i>aletris</i>	15
<i>aliquantulus</i>	19
<i>Allomengea</i>	13
<i>allosubtilis</i>	12
<i>Alopecosa</i>	23
<i>alpigena</i>	23
<i>alpinus</i>	17
<i>altera</i>	32
<i>alteranda</i>	15
<i>alticeps</i>	15
AMAUROBIIDAE	4
<i>Amaurobius</i>	4
<i>americana</i>	19, 32, 34, 36, 37
<i>amersaxatilis</i>	12
<i>amplius</i>	18
<i>ampullatus</i>	36
<i>anastera</i>	6
<i>angulata</i>	12
<i>angulatus</i>	36
<i>angusta</i>	16
<i>annulipes</i>	9, 14
<i>Antistea</i>	12
<i>Anyphaena</i>	5
ANYPHAENIDAE	5
<i>apertus</i>	20
<i>Aphileta</i>	13
<i>arabesca</i>	7
ARANEIDAE	5
<i>Araneus</i>	5
<i>Araniella</i>	6
<i>arctica</i>	21
<i>Arctosa</i>	23
<i>arcuata</i>	12

<i>arenarius</i>	20
<i>Argenna</i>	9
<i>argentea</i>	33
<i>Argiope</i>	6
<i>Ariadna</i>	31
<i>Asagena</i>	32
<i>asperata</i>	35
<i>aspirans</i>	24
<i>atra</i>	15
<i>atricta</i>	4, 7
<i>atriceps</i>	14
<i>atrotibialis</i>	21
<i>audax</i>	30
<i>aurantia</i>	6
<i>aurantiacus</i>	25
<i>auranticeps</i>	21
<i>aurantius</i>	34
<i>auriculata</i>	14
<i>autumnalis</i>	15, 31
<i>avara</i>	25
<i>avidia</i>	24

B

<i>banksi</i>	34
<i>Baryphyma</i>	13
<i>Bassaniana</i>	35
<i>Bathyphantes</i>	13
<i>bennetti</i>	4
<i>bicarinata</i>	21
<i>bicentenarius</i>	5
<i>bicolor</i>	31
<i>bicornis</i>	9, 11
<i>bicuspidis</i>	36
<i>bidentata</i>	15
<i>bihamata</i>	19
<i>bilineata</i>	21, 24
<i>bimaculata</i>	33
<i>bipunctata</i>	34
<i>bisaccata</i>	7
<i>bishopi</i>	7, 19
<i>bivittatus</i>	5
<i>blaesa</i>	15
<i>blauveltae</i>	21
<i>bonsallae</i>	5
<i>borea</i>	10
<i>borealis</i>	4, 27, 29, 30, 34
<i>bostoniensis</i>	9, 20
<i>breviaria</i>	22
<i>brevicornis</i>	22
<i>brevidentatus</i>	18
<i>brevipes</i>	13
<i>brevis</i>	12, 13, 31
<i>brevitarsa</i>	9
<i>britcheri</i>	36
<i>brittoni</i>	27

<i>brumalis</i>	10
<i>brunnea</i>	12, 14, 19
<i>bryantae</i>	7
<i>buccalis</i>	32
<i>bulbosus</i>	14
<i>buna</i>	14

C

<i>cacuminatus</i>	21
<i>calcarata</i>	9
<i>calcaratus</i>	4, 19, 29
<i>Callobius</i>	4
<i>canadensis</i>	7, 11, 13, 24, 28, 30, 36
<i>canaliculata</i>	17
<i>Canalidion</i>	32
<i>canionis</i>	25
<i>cantralli</i>	24
<i>capitata</i>	16
<i>capulatus</i>	11
<i>carbonarioides</i>	5
<i>caricis</i>	33
<i>carletonica</i>	35
<i>carolinensis</i>	23
<i>Carorita</i>	13
<i>castanea</i>	22
<i>Castianeira</i>	8
<i>caudata</i>	32
<i>cavaticus</i>	5
<i>cavatus</i>	37
<i>celer</i>	5, 35
<i>cellulanus</i>	25
<i>Centromerus</i>	13
<i>cepina</i>	6
<i>Ceraticelus</i>	14
<i>Ceratinella</i>	14
<i>Ceratinops</i>	14
<i>Ceratinopsis</i>	14
<i>Cercidia</i>	6
<i>certus</i>	27
<i>cespitem</i>	26
<i>Cheiracanthium</i>	10
<i>Cheniseo</i>	14
<i>chippewa</i>	36
<i>Cicurina</i>	12
<i>cinerea</i>	12
<i>cingulata</i>	8
<i>cingulatus</i>	5
<i>clarus</i>	30
<i>clathrata</i>	19
<i>clavicornis</i>	22
<i>Clubiona</i>	7
CLUBIONIDAE	7
<i>Coleosoma</i>	32
<i>Collinsia</i>	14
<i>coloradensis</i>	9, 27
<i>communis</i>	22, 25
<i>compar</i>	21

<i>complicatus</i>	17
<i>concinna</i>	23
<i>concolor</i>	15
<i>conica</i>	6
<i>conjunctus</i>	33
<i>contortus</i>	18
<i>convexum</i>	20
<i>Coras</i>	4
CORINNIDAE	8
<i>cornupalpis</i>	13
<i>cornutus</i>	6
<i>corticarius</i>	5, 21
<i>costatus</i>	19
<i>crassipalpata</i>	25
<i>crassipalpum</i>	16
<i>crispulus</i>	35
<i>cristatopalpus</i>	15
<i>cristatus</i>	15
<i>crocata</i>	10
<i>cruciata</i>	9
<i>crucifera</i>	7
<i>Crustulina</i>	32
<i>Cryptoeeca</i>	12
<i>Cryptachaea</i>	32
CTENIDAE	8
<i>Cupiennius</i>	8
<i>cuspidata brevicula</i>	22
CYBAEIDAE	9
<i>Cybaeopsis</i>	4
<i>Cybaeota</i>	9
<i>Cyclosa</i>	6
<i>cymbadentatum</i>	17

D

<i>dearmata</i>	32
<i>debilis</i>	21
<i>decemoculatus</i>	15
<i>decoratus</i>	11
<i>decorus</i>	29
<i>Dendryphantes</i>	28
<i>denticulatus</i>	13
<i>dentigera</i>	15
<i>dentisetis</i>	13
<i>depressum</i>	18
<i>depressus</i>	10
<i>descripta</i>	8
<i>diadematus</i>	5
<i>Dictyna</i>	9
DICTYNIDAE	9
<i>Dicymbium</i>	15
<i>differens</i>	34
<i>digitata</i>	22
<i>Diplocentria</i>	15
<i>Diplocephalus</i>	15
<i>Diplostyla</i>	15
<i>Dipoena</i>	32
<i>directa</i>	22

<i>discursans</i>	36
<i>Dismodicus</i>	15
<i>displicata</i>	6
<i>distans</i>	36
<i>distincta</i>	23
<i>divesta</i>	27
<i>Dolomedes</i>	28
<i>domestica</i>	4
<i>domiciliorum</i>	7
<i>dondalei</i>	22
<i>dorothea</i>	31
<i>dorsata</i>	33
<i>Drapetisca</i>	15
<i>Drassodes</i>	10
<i>drassooides</i>	22
<i>Drassyllus</i>	10
<i>Dysdera</i>	10
DYSDERIDAE	10

E

<i>Ebo</i>	26
<i>ecclesiasticus</i>	11
<i>Elaver</i>	8
<i>elegans</i>	31, 36
<i>elizabethae</i>	11
<i>ellipticus</i>	36
<i>elongata</i>	32
<i>elongatum</i>	15
<i>Emlynna</i>	9
<i>emertoni</i>	4, 11, 14, 23, 35, 36
<i>Enoplognatha</i>	33
<i>entomologicus</i>	18
<i>epeirooides</i>	25
<i>ephala</i>	15
<i>Eratigena</i>	4
<i>eremitus</i>	10
<i>eremophilus</i>	10
<i>Eridantes</i>	15
<i>Erigone</i>	15
<i>erigonoides</i>	15
<i>Eris</i>	28
<i>Ero</i>	25
<i>Estrandia</i>	16
<i>eumenis</i>	13
<i>Euophrys</i>	28
<i>euopla</i>	5
<i>Euryopis</i>	33
<i>Eustala</i>	6
EUTICHURIDAE	10
<i>Evarcha</i>	28
<i>excepta</i>	8
<i>exigua</i>	22, 29
<i>exiguoides</i>	11
<i>exilis</i>	26
<i>exsectoides</i>	20
<i>extensa</i>	32

F

<i>fabra</i>	12
<i>fallax</i>	22
<i>fasciger</i>	30
<i>ferox</i>	4, 36
<i>fervidus</i>	36
<i>fictilium</i>	34
<i>finschi</i>	30
<i>fissiceps</i>	14
<i>flagellata</i>	19
<i>flaveola</i>	17
<i>flavescens</i>	19
<i>flaviceps</i>	29
<i>flavipes</i>	29
<i>flavooides</i>	17
<i>florens</i>	17
<i>Floricomus</i>	16
<i>floridanum</i>	32
<i>foliacea</i>	9
<i>formica</i>	21
<i>formicaria</i>	31
<i>formicinus</i>	27
<i>formidolosa</i>	9
<i>formosa</i>	17, 29
<i>formosipes</i>	36
<i>foxi</i>	9
<i>fraternus</i>	36
<i>fratris</i>	11
<i>frigidus</i>	10
<i>frondeum</i>	34
<i>frondicola</i>	23
<i>Frontinella</i>	16
<i>funebris</i>	6, 33
<i>furcatus</i>	13
<i>fusciceps</i>	22
<i>fuscula</i>	23

G

<i>galathea</i>	29
<i>gemmosum</i>	35
<i>gentilis</i>	16
<i>Geolycosa</i>	23
<i>geometricus</i>	33
<i>georgiana</i>	36
<i>gertschi</i>	7, 8, 11, 33, 36, 37
<i>getazi</i>	8
<i>Ghelna</i>	28
<i>gibberosa</i>	7
<i>gigas</i>	16
<i>Gladicosa</i>	23
<i>glaucescens</i>	34
<i>globosus</i>	33
<i>glomosus</i>	37
<i>Glypesis</i>	16
<i>Gnaphosa</i>	10
GNAPHOSIDAE	10

<i>Gnathonaroides</i>	16
<i>Gonatium</i>	16
<i>gracilis</i>	5, 13
<i>Grammonota</i>	16
<i>Grammostola</i>	32
<i>grandaeva</i>	16
<i>grata</i>	29
<i>groenlandica</i>	23
<i>groenlandicola</i>	5
<i>guatemalensis</i>	32
<i>gulosa</i>	23
<i>gulosus</i>	36
<i>guttulatus</i>	5

H

<i>Harponattus</i>	28
<i>Hahnia</i>	12
HAHNIIDAE	12
<i>Haplodrassus</i>	11
<i>harti</i>	31
<i>helluo</i>	25
<i>Helophora</i>	16
<i>hemerobium</i>	34
<i>hentzi</i>	9, 11, 30
<i>Hentzia</i>	29
<i>Hentziectypus</i>	33
<i>herniosa</i>	17
<i>Herpyllus</i>	11
<i>hesperia</i>	18
<i>hesperus</i>	33
<i>Heteropoda</i>	31
<i>Hibana</i>	5
<i>hiemalis</i>	11
<i>Hilaira</i>	17
<i>hirsutum</i>	33
<i>histrio</i>	27
<i>Hogna</i>	23
<i>Horcotes</i>	17
<i>hoysi</i>	28
<i>humilis</i>	25
<i>Hybauchenidium</i>	17
<i>hybridus</i>	4
<i>hyperborea</i>	24
<i>Hypomma</i>	17
<i>Hypositticus</i>	29
<i>Hypselestes</i>	17
<i>Hypsosinga</i>	6
<i>Hyptiotes</i>	37

I

<i>Idionella</i>	17
<i>imbecillus</i>	26
<i>Improphanthes</i>	17
<i>Incestophantes</i>	17
<i>inclemens</i>	29
<i>inflata</i>	20

<i>infuscatus</i>	26
<i>inornata</i>	16
<i>insignis</i>	16, 29
<i>insularis</i>	24
<i>interpres</i>	14
<i>intrepida</i>	33
<i>intricatus</i>	17
<i>inusiata</i>	16
<i>Islandiana</i>	17
<i>itasca</i>	12
<i>iviei</i>	5, 26

J

<i>jacksoni</i>	12
<i>johnsoni</i>	7
<i>juniperi</i>	5
<i>juvenilis</i>	4

K

<i>Kaestneria</i>	17
<i>kastoni</i>	8
<i>kochi</i>	23
<i>kulczynskii</i>	20

L

<i>laboriosa</i>	32
<i>labyrinthea</i>	7
<i>laetabilis</i>	14
<i>laetus</i>	14
<i>lama</i>	23
<i>lamellosus</i>	4
<i>lapidicina</i>	24
<i>lapponicus</i>	30
<i>Larinoides</i>	6
<i>Lasaeola</i>	33
<i>laticeps</i>	11, 14, 26
<i>latimana</i>	33
<i>latithorax</i>	26
<i>Latrodectus</i>	33
<i>latus</i>	14
<i>lemniscata</i>	7
<i>leonina</i>	25
<i>levida</i>	22
<i>leprosus</i>	17
<i>Lepthyphantes</i>	17
<i>Leucauge</i>	31
<i>limitaneus</i>	19
<i>limnaea</i>	13
<i>lineata</i>	29
<i>Linyphia</i>	17
LINYPHIIDAE	12
LIOCRANIDAE	23
<i>littoralis</i>	8, 23, 24
<i>longibulbus</i>	13
<i>longipes</i>	11

<i>longisetosa</i>	17
<i>longispina</i>	11
<i>longitarsus</i>	18
<i>Lophomma</i>	18
<i>Loxosceles</i>	31
<i>luctans</i>	36
<i>luctuosus</i>	36
LYCOSIDAE	23
<i>lyrica</i>	35

M

<i>mackenziana</i>	24
<i>Macrargus</i>	18
<i>mactans</i>	33
<i>maculatus</i>	18
<i>madisonia</i>	27
<i>Maevia</i>	29
<i>magna</i>	12
<i>mandibulata</i>	18
<i>Mangora</i>	7
<i>manitoba</i>	9
<i>manueli</i>	27
<i>maritima</i>	8, 16
<i>maritimus</i>	27
<i>marmorata</i>	33
<i>marmoreus</i>	5
<i>Maro</i>	18
<i>Marpissa</i>	29
<i>marxi</i>	17, 20, 25, 26
<i>Mastophora</i>	7
<i>maxima</i>	9
<i>Mecaphesa</i>	35
<i>Mecynogea</i>	7
<i>medicinalis</i>	4
<i>Megalepthyphantes</i>	18
<i>Mermessus</i>	18
<i>Meta</i>	31
<i>Metopobactrus</i>	18
<i>micaria</i>	12
<i>Micaria</i>	11
<i>Micrargus</i>	18
<i>Micrathena</i>	7
<i>Microlinyphia</i>	18
<i>Microneta</i>	18
<i>microps</i>	10
<i>mildei</i>	10
<i>militaris</i>	28
<i>milvina</i>	24
MIMETIDAE	25
<i>Mimus</i>	25
<i>minerii</i>	26
<i>minnesota</i>	35
<i>minuta</i>	9, 21, 22, 24, 30
<i>minutus</i>	14, 26, 27
<i>mira</i>	28
<i>misera</i>	13
<i>Misumena</i>	35

<i>Misumenoides</i>	36
<i>mitrata</i>	7, 29
MITURGIDAE	25
<i>mixta</i>	8
<i>modica</i>	24
<i>moesta</i>	8, 24
<i>monadnock</i>	28
<i>montana</i>	12, 30
<i>montanum</i>	32
<i>montanus</i>	4, 11, 20, 24
<i>montifer</i>	19
<i>multesimus</i>	18
<i>murarium</i>	35
<i>muscorum</i>	10

N

<i>naevia</i>	4
<i>Naphrys</i>	29
<i>nashoba</i>	5
<i>nasutus</i>	16
<i>navus</i>	26
<i>nearctica</i>	7
<i>nearcticus</i>	18
<i>nebulosus</i>	18
<i>neglectus</i>	10
<i>nelli</i>	29
<i>Neoantistea</i>	12
<i>Neodietrichia</i>	18
<i>Neon</i>	29
<i>Neoscona</i>	7
<i>Neottiura</i>	33
<i>Nerieue</i>	19
<i>nervosus</i>	31
NESTICIDAE	25
<i>Nesticus</i>	25
<i>nicholsi</i>	8
<i>niger</i>	10
<i>nigra</i>	33
<i>nigriceps</i>	14
<i>nigripalpis</i>	14
<i>nigripes</i>	13
<i>nigromaculatus</i>	28
<i>nordmanni</i>	6
<i>norvegica</i>	8
<i>noxiousus</i>	30

O

<i>obesa</i>	8, 9
<i>oblongus</i>	27
<i>obscurus</i>	37
<i>obtusus</i>	20
<i>ocellatus</i>	11
<i>ocreata</i>	25
OECOBIIDAE	26
<i>Oecobius</i>	26
<i>Oedothorax</i>	19

<i>olivacea</i>	13
<i>opulenta</i>	35
<i>Oreoneta</i>	19
<i>Oreonetides</i>	19
<i>Oreophantes</i>	19
<i>orites</i>	10
<i>ornata</i>	16, 23
<i>ornatula</i>	14
<i>Orodrassus</i>	11
<i>Oryphantes</i>	19
<i>ovalis</i>	31
<i>ovata</i>	33
<i>Oxyopes</i>	26
OXYOPIDAE	26
<i>oxyphaederotipus</i>	14
<i>Ozyptila</i>	36

P

<i>Pachygnatha</i>	31
<i>pacifica</i>	22
<i>pallescens</i>	32
<i>pallida</i>	9, 12, 22
<i>pallidum</i>	20
<i>pallidus</i>	13, 20
<i>pallipes</i>	16
<i>palmarum</i>	29
<i>palustris</i>	7, 22, 24
<i>parasiticus</i>	21
<i>Parasteatoda</i>	33
<i>Pardosa</i>	23
<i>parvula</i>	10, 14
<i>patagiatus</i>	6
<i>Peckhamia</i>	29
<i>peckhamorum</i>	30
<i>pedalis</i>	16
<i>Pelegrina</i>	29
<i>pellax</i>	37
<i>Pellenes</i>	30
<i>penifusifer</i>	20
<i>peninsulanus</i>	26
<i>pennsylvanica</i>	4
<i>pernix</i>	26
<i>persolutus</i>	13
<i>pertinens</i>	15
<i>petraeum</i>	35
<i>phalangioides</i>	27
<i>Phantyna</i>	9
<i>Phidippus</i>	30
PHILODROMIDAE	26
<i>Philodromus</i>	26
<i>Phlattothrata</i>	19
PHOLCIDAE	27
<i>Pholcomma</i>	33
<i>Polcus</i>	27
<i>Phoroncidia</i>	34
PHRUROLITHIDAE	27
<i>Phrurotimpus</i>	27

<i>phylax</i>	9
<i>picata</i>	29
<i>pictilis</i>	16
<i>pictum</i>	35
<i>pikei</i>	8, 23
<i>pinocchio</i>	22
<i>Pirata</i>	24
<i>piraticus</i>	24
<i>Piratula</i>	24
PISAURIDAE	28
<i>Pisaurina</i>	28
<i>Pityohyphantes</i>	19
<i>placida</i>	7, 12, 22
<i>placidus</i>	26
<i>Platnickina</i>	34
<i>Platnickryptus</i>	30
<i>plumalis</i>	16
<i>plumosa</i>	15
<i>pluto</i>	10
<i>Pocadicnemis</i>	19
<i>Poeciloneta</i>	19
<i>Porrhomma</i>	20
<i>potteri</i>	4
<i>praedo</i>	24
<i>praelustris</i>	26
<i>praematura</i>	8
<i>Praestigia</i>	20
<i>pratensis</i>	6, 23
<i>praticola</i>	36
<i>princeps</i>	17, 30
<i>prominens</i>	6
<i>prominulus</i>	18
<i>prona</i>	33
<i>proterva</i>	30
<i>pubescens</i>	29
<i>pugnata</i>	27
<i>pulchra</i>	32
<i>pulchripes</i>	32
<i>pulex</i>	29
<i>pulicaria</i>	11
<i>pullata</i>	17
<i>pumila</i>	19, 25
<i>pumilus</i>	34
<i>punctatus</i>	37
<i>punctosparsa</i>	34
<i>puritanus</i>	12, 25
<i>purpuratus</i>	30
<i>pusilla</i>	18
<i>pygmaea</i>	6, 8
<i>pyramitela</i>	16

Q

<i>quadricristatus</i>	17
<i>quadrispinosa</i>	9
<i>quaestio</i>	21

R

<i>radiata</i>	19
<i>raptor</i>	23
<i>reclusa</i>	31
<i>rectangulata</i>	15
<i>rectangulatus</i>	19
<i>recurvatus</i>	19
<i>redneri</i>	22
<i>reprobus</i>	13
<i>retrorsa</i>	25
<i>Rhomphaea</i>	34
<i>Rhysodromus</i>	27
<i>riparia</i>	8
<i>riparius</i>	34
<i>Robertus</i>	34
<i>robusta</i>	12
<i>rosea</i>	32
<i>rostratus</i>	16
<i>rotundus</i>	19
<i>rubens</i>	6
<i>rubicellus</i>	27
<i>rubicunda</i>	23
<i>rufa</i>	28
<i>rufipes</i>	31
<i>rufula</i>	17
<i>rufulus</i>	10
<i>rufus</i>	26
<i>rufus quartus</i>	26
<i>rufus vibrans</i>	26
<i>Rugathodes</i>	34
<i>rugosa</i>	17
<i>rugosus</i>	14
<i>rupicola</i>	32
<i>ruricola</i>	25
<i>rustica</i>	20
<i>rusticus</i>	11

S

<i>sabulosus</i>	21
<i>saccatus</i>	10
<i>saevus</i>	6
<i>sagittata</i>	7
<i>saltabundus</i>	5
<i>saltatrix</i>	25
SALTICIDAE	28
<i>Salicus</i>	30
<i>Sarinda</i>	30
<i>Satilatlas</i>	20
<i>saukea</i>	33
<i>saxatilis</i>	24
<i>scalaris</i>	26
<i>scenicus</i>	30
<i>Schizocosa</i>	24
<i>Sciastes</i>	20
<i>Scironis</i>	20
<i>sclopetarius</i>	6

<i>scopulifer</i>	16
<i>Scotinella</i>	27
<i>Scotinotylus</i>	20
<i>scriptus</i>	28
<i>Scylaceus</i>	20
<i>Scypletria</i>	20
<i>Scytodes</i>	31
SCYTODIDAE	31
<i>sedentarius</i>	24
SEGESTRIIDAE	31
<i>Semljicola</i>	20
<i>senoculata</i>	27
<i>Sergiolus</i>	11
<i>sexpunctatus</i>	34
<i>Sibianor</i>	30
SICARIIDAE	31
<i>signifer</i>	11
<i>silus</i>	14
<i>similis</i>	14, 31
<i>simplex</i>	13, 21
<i>siou</i>	15
<i>Sisicottus</i>	20
<i>Sisicus</i>	20
<i>Sisyrbe</i>	20
<i>Sitticus</i>	30
<i>socius</i>	10
<i>Souessa</i>	20
<i>Sougambus</i>	20
<i>Soulgas</i>	21
SPARASSIDAE	31
<i>Spermophora</i>	27
<i>sphagnicultor</i>	14
<i>spinifer</i>	34
<i>spinifera</i>	20
<i>spiralis</i>	8, 22
<i>Steatoda</i>	34
<i>stellata</i>	5
<i>Stemonyphantes</i>	21
<i>sticta</i>	32
<i>stowei</i>	7
<i>straminea</i>	32
<i>striatus</i>	27, 28
<i>stridula</i>	34
<i>Strontarchus</i>	10
<i>Styloctetor</i>	21
<i>subarcticus</i>	19
<i>sublata</i>	9
<i>subrostratus</i>	15
<i>subspiralis</i>	22
<i>sula</i>	12
<i>sundevalli</i>	18
<i>sylvaticus</i>	13
<i>sylvestris</i>	28
<i>Synageles</i>	30

T

<i>tabulata</i>	33
-----------------------	----

<i>Talavera</i>	30
<i>Tapinocyba</i>	21
<i>Tapinopa</i>	21
<i>Tapinotorquis</i>	21
<i>tarsalis</i>	20
<i>tenebrosus</i>	28
<i>tenella</i>	22
<i>Tennesseellum</i>	21
<i>tenuipalpis</i>	18
<i>Tenuiphantes</i>	21
<i>tepidariorum</i>	33
<i>teres</i>	22
<i>Terralonus</i>	30
<i>terrestre</i>	20
<i>terricola</i>	25
<i>Tetragnatha</i>	32
TETRAGNATHIDAE	31
<i>thaddeus</i>	6
<i>Theonoe</i>	34
THERAPHOSIDAE	32
<i>theridiformis</i>	20
HERIDIIDAE	32
<i>Theridion</i>	34
<i>Theridiosoma</i>	35
THERIDIOSOMATIDAE	35
<i>Theridula</i>	35
THOMISIDAE	35
<i>thoracica</i>	21, 31
<i>Thymoites</i>	35
<i>Thyreosthenius</i>	21
<i>Tibellus</i>	27
<i>tibialis</i>	5, 22
<i>Tigrosa</i>	25
<i>tincta</i>	34
<i>tirolensis</i>	16
<i>Titanoeeca</i>	37
TITANOECIDAE	37
<i>Tmarus</i>	36
<i>Trabeops</i>	25
<i>Trachelas</i>	37
TRACHELIDAE	37
<i>tranquillus</i>	37
<i>Trebacosa</i>	25
<i>triangularis</i>	18
<i>triangulosa</i>	34
<i>trifasciata</i>	6
<i>trifolium</i>	6
<i>trifrons</i>	13
<i>trigonum</i>	33
<i>triguttatus</i>	37
<i>trilobatus</i>	18, 19
<i>tristriata</i>	31
<i>triton</i>	28
<i>trivialis</i>	8
<i>trivittata</i>	16
<i>Trochosa</i>	25
<i>truncatus</i>	20
<i>Tunagyna</i>	21

<i>turbatrix</i>	17
<i>turbinata</i>	6
<i>turricola</i>	23
<i>Tutelina</i>	31

U

<i>uintana</i>	24
ULOBORIDAE	37
<i>Uloborus</i>	37
<i>undatus</i>	30
<i>undulatus</i>	18
<i>unimaculata</i>	13
<i>unimaculatus</i>	35
<i>Urozelotes</i>	11
<i>utahana</i>	4
<i>utahensis</i>	35
<i>utilis</i>	15

V

<i>vaccinii</i>	18
<i>vaginatus</i>	19
<i>validus</i>	26
<i>Varacosa</i>	25
<i>variabilis</i>	19
<i>varians</i>	35
<i>variata</i>	8
<i>vatia</i>	35
<i>venatoria</i>	31
<i>venusta</i>	31
<i>vermiformis</i>	32
<i>Vermontia</i>	21
<i>vernalis</i>	20
<i>versicolor</i>	30, 32, 35
<i>viaria</i>	18
<i>viridipes</i>	29
<i>viridis</i>	32
<i>vittata</i>	16
<i>volucipes</i>	9
<i>vulgaris</i>	27

W

<i>Wabasso</i>	21
<i>Wadotes</i>	4
<i>Walckenaeria</i>	21
<i>Wamba</i>	35
<i>Washingtontoni</i>	6, 17
<i>waughi</i>	29
<i>weyeri</i>	13
<i>wheeleri</i>	28
<i>whitmani</i>	30
<i>winnipegensis</i>	37
<i>Wubana</i>	22
<i>Wulfila</i>	5

X

<i>xanthostoma</i>	31
<i>xerampelina</i>	24
<i>x-notata</i>	7
<i>Xysticus</i>	36

Y

<i>yamaskensis</i>	21
<i>Yunohamella</i>	35

Z

<i>zebra</i>	21
<i>Zelotes</i>	11
<i>Zora</i>	25
<i>Zornella</i>	22
<i>Zygiella</i>	7
<i>Zygoballus</i>	31

Spiders of Maine Checklist

AGELENIDAE	14
Agelenopsis actuosa	
Agelenopsis emertoni	
Agelenopsis naevia	
Agelenopsis pennsylvanica	
Agelenopsis potteri	
Agelenopsis utahana	
Coras aerialis	
Coras juvenilis	
Coras lamellosus	
Coras medicinalis	
Coras montanus	
Tegenaria domestica	
Wadotes calcaratus	
Wadotes hybridus	
AMAUROBIIDAE	5
Amaurobius borealis	
Amaurobius ferox	
Callobius bennetti	
Cybaeopsis euopla	
Cybaeopsis tibialis	
ANYPHAENIDAE	3
Anyphaena celer	
Hibana gracilis	
Wulfila saltabundus	
ARANEIDAE	50
Acanthepeira stellata	
Aculepeira carbonarioides	
Araneus alboventris	
Araneus bicentenarius	
Araneus bivittatus	
Araneus bonsallae	
Araneus cavaticus	
Araneus cingulatus	
Araneus corticarius	
Araneus diadematus	
Araneus groenlandicola	
Araneus guttulatus	
Araneus iviei	
Araneus juniperi	
Araneus marmoreus	
Araneus nashoba	
Araneus nordmanni	
Araneus pratensis	
Araneus saevus	
Araneus thaddeus	
Araneus trifolium	
Araneus washingtoni	
Araniella displicata	
Argiope aurantia	
Argiope trifasciata	
Cercidia prominens	
Cyclosa conica	
Cyclosa turbinata	
Eustala anastera	
Eustala cepina	
Hypsosinga funebris	

Hypsosinga pygmaea	
Hypsosinga rubens	
Larinoides cornutus	
Larinoides patagiatus	
Larinoides sclopetarius	
Mangora gibberosa	
Mangora placida	
Mastophora bisaccata	
Mastophora stowei	
Metepeira labyrinthica	
Metepeira palustris	
Micrathena mitrata	
Micrathena sagittata	
Neoscona arabesca	
Neoscona crucifera	
Neoscona domiciliorum	
Zygilla atrica	
Zygilla nearctica	
Zygilla x-notata	
CLUBIONIDAE	21
Clubiona abboti	
Clubiona bishopi	
Clubiona bryantae	
Clubiona canadensis	
Clubiona gertschi	
Clubiona johnsoni	
Clubiona kastoni	
Clubiona littoralis	
Clubiona maritima	
Clubiona mixta	
Clubiona moesta	
Clubiona nicholsi	
Clubiona norvegica	
Clubiona obesa	
Clubiona pikei	
Clubiona praematura	
Clubiona pygmaea	
Clubiona riparia	
Clubiona spiralis	
Clubiona trivialis	
Elaver excepta	
CORINNIDAE	5
Castianeira cingulata	
Castianeira descripta	
Castianeira gertschi	
Castianeira longipalpa	
Castianeira variata	
CYBAEIDAE	1
Cybaeota calcarata	
DICTYNIDAE	19
Argenna obesa	
Dictyna bostoniensis	
Dictyna brevitarsa	
Dictyna coloradensis	
Dictyna foliacea	
Dictyna formidolosa	
Dictyna minuta	
Dictyna quadrispinosa	
Dictyna volucripes	

Emblyna annulipes	
Emblyna cruciata	
Emblyna hentzi	
Emblyna manitoba	
Emblyna maxima	
Emblyna phylax	
Emblyna sublata	
Lathys foxi	
Lathys pallida	
Phantyna bicornis	
DYSDERIDAE	1
Dysdera crocata	
EUTICHURIDAE	2
Cheiracanthium mildei	
Strotarchus piscatorius	
GNAPHOSIDAE	40
Callilepis pluto	
Drassodes neglectus	
Drassodes saccatus	
Drassyllus depressus	
Drassyllus eremitus	
Drassyllus eremophilus	
Drassyllus frigidus	
Drassyllus niger	
Drassyllus rufulus	
Drassyllus socius	
Gnaphosa borea	
Gnaphosa brumalis	
Gnaphosa microps	
Gnaphosa muscorum	
Gnaphosa orites	
Gnaphosa parvula	
Haplodrassus bicornis	
Haplodrassus hiemalis	
Haplodrassus signifer	
Herpyllus ecclesiasticus	
Micaria aenea	
Micaria elizabethae	
Micaria emertoni	
Micaria gertschi	
Micaria laticeps	
Micaria longipes	
Micaria longispina	
Micaria pulicaria	
Micaria riggsi	
Orodrassus canadensis	
Sergiolus capulatus	
Sergiolus decoratus	
Sergiolus montanus	
Sergiolus ocellatus	
Urozelotes rusticus	
Zelotes exiguoides	
Zelotes fratriss	
Zelotes hentzi	
Zelotes puritanus	
Zelotes sula	
HAHNIIDAE	11
Antistea brunnea	
Cicurina arcuata	

<i>Cicurina brevis</i>	
<i>Cicurina itasca</i>	
<i>Cicurina pallida</i>	
<i>Cicurina placida</i>	
<i>Cicurina robusta</i>	
<i>Cryphoeca montana</i>	
<i>Hahnia cinerea</i>	
<i>Neoantistea agilis</i>	
<i>Neoantistea magna</i>	
LINYPHIIDAE	228
<i>Agynteta allosutilis</i>	
<i>Agynteta amersaxatilis</i>	
<i>Agynteta angulata</i>	
<i>Agynteta fabra</i>	
<i>Agynteta jacksoni</i>	
<i>Agynteta micaria</i>	
<i>Agynteta nigripes</i>	
<i>Agynteta olivacea</i>	
<i>Agynteta simplex</i>	
<i>Agynteta unimaculata</i>	
<i>Allomengea dentisetis</i>	
<i>Aphileta misera</i>	
<i>Baryphyma trifrons</i>	
<i>Bathyphantes alboventris</i>	
<i>Bathyphantes brevipes</i>	
<i>Bathyphantes brevis</i>	
<i>Bathyphantes canadensis</i>	
<i>Bathyphantes eumenis</i>	
<i>Bathyphantes gracilis</i>	
<i>Bathyphantes pallidus</i>	
<i>Bathyphantes reprobus</i>	
<i>Bathyphantes weyeri</i>	
<i>Carorita limnaea</i>	
<i>Centromerus cornupalpis</i>	
<i>Centromerus denticulatus</i>	
<i>Centromerus furcatus</i>	
<i>Centromerus longibulbus</i>	
<i>Centromerus persolutus</i>	
<i>Centromerus sylvaticus</i>	
<i>Ceraticelus atriceps</i>	
<i>Ceraticelus bulbosus</i>	
<i>Ceraticelus emertoni</i>	
<i>Ceraticelus fissiceps</i>	
<i>Ceraticelus laetabilis</i>	
<i>Ceraticelus laetus</i>	
<i>Ceraticelus laticeps</i>	
<i>Ceraticelus minutus</i>	
<i>Ceraticelus silus</i>	
<i>Ceraticelus similis</i>	
<i>Ceratinella brunnea</i>	
<i>Ceratinella buna</i>	
<i>Ceratinella ornatula</i>	
<i>Ceratinella parvula</i>	
<i>Ceratinops annulipes</i>	
<i>Ceratinops latus</i>	
<i>Ceratinops rugosus</i>	
<i>Ceratinopsis auriculata</i>	
<i>Ceratinopsis interpres</i>	
<i>Ceratinopsis laticeps</i>	

<i>Ceratinopsis nigriceps</i>	
<i>Ceratinopsis nigripalpis</i>	
<i>Cheniseo sphagnicultror</i>	
<i>Collinsia oxypaederotipus</i>	
<i>Collinsia pertinens</i>	
<i>Collinsia plumosa</i>	
<i>Coloncus siou</i>	
<i>Dicymbium elongatum</i>	
<i>Diplocentria bidentata</i>	
<i>Diplocentria rectangulata</i>	
<i>Diplocephalus cristatus</i>	
<i>Diplocephalus subrostratus</i>	
<i>Diplostyla concolor</i>	
<i>Dismodicus alticeps</i>	
<i>Dismodicus decemoculatus</i>	
<i>Drapetisca alteranda</i>	
<i>Eridantes erigonoides</i>	
<i>Eridantes utibilis</i>	
<i>Erigone aletris</i>	
<i>Erigone atra</i>	
<i>Erigone autumnalis</i>	
<i>Erigone blaesa</i>	
<i>Erigone cristatopalpus</i>	
<i>Erigone dentigera</i>	
<i>Erigone dentipalpis</i>	
<i>Erigone ephala</i>	
<i>Erigone tirolensis</i>	
<i>Estrandia grandaeva</i>	
<i>Floricomus nasutus</i>	
<i>Floricomus plumalis</i>	
<i>Floricomus rostratus</i>	
<i>Frontinella pyramitela</i>	
<i>Glyphesis scopulifer</i>	
<i>Gnathonaroides pedalisi</i>	
<i>Gonatium crassipalpum</i>	
<i>Grammonota angusta</i>	
<i>Grammonota capitata</i>	
<i>Grammonota gentilis</i>	
<i>Grammonota gigas</i>	
<i>Grammonota inornata</i>	
<i>Grammonota inusiata</i>	
<i>Grammonota maritima</i>	
<i>Grammonota ornata</i>	
<i>Grammonota pallipes</i>	
<i>Grammonota pictilis</i>	
<i>Grammonota trivittata</i>	
<i>Grammonota vittata</i>	
<i>Helophora insignis</i>	
<i>Hilaira canaliculata</i>	
<i>Hilaira herniosa</i>	
<i>Horcotes quadricristatus</i>	
<i>Hybauchenidium cymbadentatum</i>	
<i>Hypomma marxi</i>	
<i>Hypselistes florens</i>	
<i>Idionella formosa</i>	

<i>Idionella rugosa</i>	
<i>Improphanes complicatus</i>	
<i>Incestophantes duplicatus</i>	
<i>Incestophantes washingtoni</i>	
<i>Islandiana flaveola</i>	
<i>Islandiana flavoides</i>	
<i>Islandiana longisetosa</i>	
<i>Islandiana princeps</i>	
<i>Kaestneria pullata</i>	
<i>Kaestneria rufula</i>	
<i>Lepthyphantes alpinus</i>	
<i>Lepthyphantes intricatus</i>	
<i>Lepthyphantes leprosus</i>	
<i>Lepthyphantes turbatrix</i>	
<i>Linyphia triangularis</i>	
<i>Lophomma depressum</i>	
<i>Lophomma vaccinii</i>	
<i>Macrargus multesimus</i>	
<i>Maro amplus</i>	
<i>Maro nearcticus</i>	
<i>Maso sundevalli</i>	
<i>Megalephyphantes nebulosus</i>	
<i>Mermessus brevidentatus</i>	
<i>Mermessus contortus</i>	
<i>Mermessus entomologicus</i>	
<i>Mermessus maculatus</i>	
<i>Mermessus tenuipalpis</i>	
<i>Mermessus trilobatus</i>	
<i>Mermessus undulatus</i>	
<i>Metopobactrus prominulus</i>	
<i>Micrargus longitarsus</i>	
<i>Microlinyphia mandibulata</i>	
<i>Microlinyphia pusilla</i>	
<i>Microneta viaria</i>	
<i>Neodietchia hesperia</i>	
<i>Neriene clathrata</i>	
<i>Neriene radiata</i>	
<i>Neriene variabilis</i>	
<i>Oedothorax montifer</i>	
<i>Oedothorax trilobatus</i>	
<i>Oreoneta brunnea</i>	
<i>Oreonetides flavescens</i>	
<i>Oreonetides rectangulatus</i>	
<i>Oreonetides rotundus</i>	
<i>Oreonetides vaginatus</i>	
<i>Oreophantes recurvatus</i>	
<i>Oryphantes aliquantulus</i>	
<i>Pelecopsis bishopi</i>	
<i>Phlattothrrata flagellata</i>	
<i>Pityohyphantes costatus</i>	
<i>Pityohyphantes limitaneus</i>	

Pityophantes	
subarcticus	
Pocadicnemis americana	
Pocadicnemis pumila	
Poeciloneta bihamata	
Poeciloneta calcaratus	
Poeciloneta theridiformis	
Porrhomma convexum	
Porrhomma pallidum	
Porrhomma terrestre	
Praestigia kulczynskii	
Satilatlas arenarius	
Satilatlas marxi	
Sciastes truncatus	
Scironis tarsalis	
Scotinotylus exsectoides	
Scotinotylus pallidus	
Scotinotylus vernalis	
Scylaceus pallidus	
Scypletria inflata	
Semljicola obtusus	
Sisicottus montanus	
Siscus apertus	
Siscus penifusifer	
Sisybbe rustica	
Souessa spinifera	
Sougambus bostoniensis	
Soulgas corticarius	
Stemnyphantes blauevltae	
Styloctetor compar	
Styloctetor stativus	
Tapinocyba bicarinata	
Tapinocyba minuta	
Tapinocyba simplex	
Tapinopa bilineata	
Tapinotorquis yamaskensis	
Tennessellum formica	
Tenuiphantes sabulosus	
Tenuiphantes zebra	
Thyreosthenius parasiticus	
Tunagyna debilis	
Vermontia thoracica	
Wabasso cacuminatus	
Wabasso quaestio	
Walckenaeria arctica	
Walckenaeria atrotibialis	
Walckenaeria auranticeps	
Walckenaeria breviaria	
Walckenaeria brevicornis	
Walckenaeria castanea	
Walckenaeria clavicornis	
Walckenaeria communis	
Walckenaeria cuspidata brevicula	
Walckenaeria digitata	

Walckenaeria directa	
Walckenaeria dondalei	
Walckenaeria exigua	
Walckenaeria fallax	
Walckenaeria fusciceps	
Walckenaeria lepida	
Walckenaeria minuta	
Walckenaeria pallida	
Walckenaeria palustris	
Walckenaeria pinocchio	
Walckenaeria placida	
Walckenaeria redneri	
Walckenaeria spiralis	
Walckenaeria subspiralis	
Walckenaeria tenella	
Walckenaeria teres	
Walckenaeria tibialis	
Wubana drassoides	
Wubana pacifica	
Zornella cultrigera	
LIOCERANIDAE	2
Agroeca ornata	
Agroeca pratensis	
LYCOSIDAE	52
Alopecosa aculeata	
Alopecosa kochi	
Arctosa alpigena	
Arctosa emertoni	
Arctosa lama	
Arctosa littoralis	
Arctosa raptor	
Arctosa rubicunda	
Geolycosa pikei	
Geolycosa turricola	
Gladicosa gulosa	
Hogna carolinensis	
Hogna frondicola	
Pardosa albomaculata	
Pardosa concinna	
Pardosa distincta	
Pardosa fuscula	
Pardosa groenlandica	
Pardosa hyperborea	
Pardosa lapidicina	
Pardosa littoralis	
Pardosa mackenziana	
Pardosa milvina	
Pardosa modica	
Pardosa moesta	
Pardosa palustris	
Pardosa saxatilis	
Pardosa uintana	
Pardosa xerampelina	
Pirata aspirans	
Pirata montanus	
Pirata piraticus	
Pirata praedo	
Pirata sedentarius	
Piratula canadensis	

Piratula cantralli	
Piratula insularis	
Piratula minuta	
Schizocosa avida	
Schizocosa bilineata	
Schizocosa communis	
Schizocosa crassipalpata	
Schizocosa humilis	
Schizocosa ocreata	
Schizocosa retrorsa	
Schizocosa saltatrix	
Tigrosa helluo	
Trabeops aurantiacus	
Trebacosa marxi	
Trochosa ruricola	
Trochosa terricola	
Varacosa avara	
MIMETIDAE	4
Ero canionis	
Ero leonina	
Mimetus epeiroides	
Mimetus puritanus	
MITURGIDAE	1
Zora pumila	
NESTICIDAE	1
Nesticus cellulanus	
OXYOPIDAE	1
Oxyopes scalaris	
PHILODROMIDAE	26
Ebo iviei	
Ebo latithorax	
Philodromus cespitum	
Philodromus exilis	
Philodromus imbecillus	
Philodromus infuscatus	
Philodromus laticeps	
Philodromus marxi	
Philodromus mineri	
Philodromus minutus	
Philodromus peninsulanus	
Philodromus pernix	
Philodromus placidus	
Philodromus praelustris	
Philodromus rufus	
Philodromus rufus quartus	
Philodromus rufus vibrans	
Philodromus validus	
Philodromus vulgaris	
Rhysodromus histrio	
Thanatus coloradensis	
Thanatus formicinus	
Thanatus rubicellus	
Thanatus striatus	
Tibelus maritimus	
Tibelus oblongus	
PHOLCIDAE	3

<i>Pholcus manueli</i>	
<i>Pholcus phalangioides</i>	
<i>Spermophora senoculata</i>	
PHRUROLITHIDAE	8
<i>Phrurotimpus alarius</i>	
<i>Phrurotimpus borealis</i>	
<i>Phrurotimpus certus</i>	
<i>Phrurotimpus minutus</i>	
<i>Scotinella brittoni</i>	
<i>Scotinella divesta</i>	
<i>Scotinella madisonia</i>	
<i>Scotinella pugnata</i>	
PISAURIDAE	5
<i>Dolomedes scriptus</i>	
<i>Dolomedes striatus</i>	
<i>Dolomedes tenebrosus</i>	
<i>Dolomedes triton</i>	
<i>Pisaurina mira</i>	
SALTICIDAE	58
<i>Admestina wheeleri</i>	
<i>Attulus floricola</i>	
<i>Calositticus striatus</i>	
<i>Calositticus sylvestris</i>	
<i>Dendryphantes nigromaculatus</i>	
<i>Eris militaris</i>	
<i>Eris rufa</i>	
<i>Euophrys monadnock</i>	
<i>Evarcha hoyi</i>	
<i>Ghelna canadensis</i>	
<i>Habronattus agilis</i>	
<i>Habronattus borealis</i>	
<i>Habronattus calcaratus</i>	
<i>Habronattus decorus</i>	
<i>Habronattus viridipes</i>	
<i>Habronattus waughi</i>	
<i>Hentzia mitrata</i>	
<i>Hentzia palmarum</i>	
<i>Hypositticus pubescens</i>	
<i>Maevia inclemens</i>	
<i>Marpissa formosa</i>	
<i>Marpissa grata</i>	
<i>Marpissa lineata</i>	
<i>Naphrys pulex</i>	
<i>Neon nelli</i>	
<i>Peckhamia picata</i>	
<i>Pelegrina exigua</i>	
<i>Pelegrina flaviceps</i>	
<i>Pelegrina flavipes</i>	
<i>Pelegrina galathea</i>	
<i>Pelegrina insignis</i>	
<i>Pelegrina montana</i>	
<i>Pelegrina peckhamorum</i>	
<i>Pelegrina proterva</i>	
<i>Pellenes lapponicus</i>	
<i>Phidippus audax</i>	
<i>Phidippus borealis</i>	
<i>Phidippus clarus</i>	
<i>Phidippus princeps</i>	

<i>Phidippus purpuratus</i>	
<i>Phidippus whitmani</i>	
<i>Phlegra hentzi</i>	
<i>Platycryptus undatus</i>	
<i>Salticus scenicus</i>	
<i>Sarinda hentzi</i>	
<i>Sibianor aemulus</i>	
<i>Sitticus fasciger</i>	
<i>Sitticus finschi</i>	
<i>Synageles canadensis</i>	
<i>Synageles noxious</i>	
<i>Talavera minuta</i>	
<i>Terralonus versicolor</i>	
<i>Tutelina elegans</i>	
<i>Tutelina formicaria</i>	
<i>Tutelina harti</i>	
<i>Tutelina similis</i>	
<i>Zygoballus nervosus</i>	
<i>Zygoballus rufipes</i>	
SEGESTRIIDAE	1
<i>Ariadna bicolor</i>	
SPARASSIDAE	1
<i>Heteropoda venatoria</i>	
TETRAGNATHIDAE	18
<i>Leucauge venusta</i>	
<i>Meta ovalis</i>	
<i>Pachygynatha autumnalis</i>	
<i>Pachygynatha brevis</i>	
<i>Pachygynatha dorothaea</i>	
<i>Pachygynatha tristriata</i>	
<i>Pachygynatha xanthostoma</i>	
<i>Tetragnatha caudata</i>	
<i>Tetragnatha dearmata</i>	
<i>Tetragnatha elongata</i>	
<i>Tetragnatha extensa</i>	
<i>Tetragnatha guatemalensis</i>	
<i>Tetragnatha laboriosa</i>	
<i>Tetragnatha pallescens</i>	
<i>Tetragnatha straminea</i>	
<i>Tetragnatha vermiciformis</i>	
<i>Tetragnatha versicolor</i>	
<i>Tetragnatha viridis</i>	
THERIDIIDAE	57
<i>Asagena americana</i>	
<i>Canalidion montanum</i>	
<i>Coleosoma floridanum</i>	
<i>Crustulina altera</i>	
<i>Crustulina sticta</i>	
<i>Cryptachaea rupicola</i>	
<i>Dipoena buccalis</i>	
<i>Dipoena dorsata</i>	
<i>Dipoena nigra</i>	
<i>Enoplognatha caricis</i>	
<i>Enoplognatha intrepida</i>	
<i>Enoplognatha latimana</i>	
<i>Enoplognatha marmorata</i>	
<i>Enoplognatha ovata</i>	

<i>Euryopis argentea</i>	
<i>Euryopis funebris</i>	
<i>Euryopis gertschi</i>	
<i>Euryopis saukea</i>	
<i>Hentziectypus conjunctus</i>	
<i>Hentziectypus globosus</i>	
<i>Lasaeola prona</i>	
<i>Neospintharus trigonum</i>	
<i>Neottiura bimaculata</i>	
<i>Parasteatoda tabulata</i>	
<i>Parasteatoda tepidariorum</i>	
<i>Pholcomma hirsutum</i>	
<i>Phoroncidia americana</i>	
<i>Platnickina alabamense</i>	
<i>Platnickina punctosparsa</i>	
<i>Platnickina tincta</i>	
<i>Rhomphaea fictilium</i>	
<i>Robertus banksi</i>	
<i>Robertus borealis</i>	
<i>Robertus fuscus</i>	
<i>Robertus pumilus</i>	
<i>Robertus riparius</i>	
<i>Robertus spinifer</i>	
<i>Rugathodes aurantius</i>	
<i>Rugathodes sexpunctatus</i>	
<i>Steatoda bipunctata</i>	
<i>Steatoda borealis</i>	
<i>Theonoe stridula</i>	
<i>Theridion albidum</i>	
<i>Theridion differens</i>	
<i>Theridion frondeum</i>	
<i>Theridion glaucescens</i>	
<i>Theridion hemerobium</i>	
<i>Theridion murarium</i>	
<i>Theridion petraeum</i>	
<i>Theridion pictum</i>	
<i>Theridion varians</i>	
<i>Theridula emertoni</i>	
<i>Theridula opulenta</i>	
<i>Thymoites minnesota</i>	
<i>Thymoites unimaculatus</i>	
<i>Wamba crispulus</i>	
<i>Yunohamella lyrica</i>	
THERIDIOSOMATIDAE	1
<i>Theridiosoma gemmosum</i>	
THOMISIDAE	34
<i>Bassaniana utahensis</i>	
<i>Bassaniana versicolor</i>	
<i>Mecaphesa asperata</i>	
<i>Mecaphesa carletonica</i>	
<i>Mecaphesa celer</i>	
<i>Misumena vatia</i>	
<i>Misumenoides formosipes</i>	
<i>Ozyptila americana</i>	
<i>Ozyptila distans</i>	

<i>Ozyptila georgiana</i>	
<i>Ozyptila gertschi</i>	
<i>Ozyptila praticola</i>	
<i>Tmarus angulatus</i>	
<i>Xysticus alboniger</i>	
<i>Xysticus ampullatus</i>	
<i>Xysticus bicuspis</i>	
<i>Xysticus britcheri</i>	
<i>Xysticus canadensis</i>	
<i>Xysticus chippewa</i>	
<i>Xysticus discursans</i>	
<i>Xysticus elegans</i>	
<i>Xysticus ellipticus</i>	
<i>Xysticus emertoni</i>	
<i>Xysticus ferox</i>	
<i>Xysticus fervidus</i>	
<i>Xysticus fraternus</i>	
<i>Xysticus gulosus</i>	
<i>Xysticus luctans</i>	
<i>Xysticus luctuosus</i>	
<i>Xysticus obscurus</i>	
<i>Xysticus pellax</i>	
<i>Xysticus punctatus</i>	
<i>Xysticus triguttatus</i>	
<i>Xysticus winnipegensis</i>	
TITANOECIDAE	1
<i>Titanoeca americana</i>	
TRACHELIDAE	1
<i>Trachelas tranquillus</i>	
ULOBORIDAE	3
<i>Hyptiotes cavatus</i>	
<i>Hyptiotes gertschi</i>	
<i>Uloborus glomosus</i>	
Total	677